

# Aeroscreen X5 F.R. /

Ref. ASX/505

## EIGENSCHAFTEN

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmission	7
Solar_Reflection	9
Solar_Absorption	84
Light_Transmission	6
Light_Absorption	5
GtotInt	0,54
UV_Reduction	94
Ref.	ASX/505
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_ to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Brown
Warp_daN5cm	147
Weft_daN5cm	137





Rullo



Verticali



Panels



# Aeroscreen X5 F.R. /

Ref. ASX/504

## EIGENSCHAFTEN



<b>Width cm</b>	300
<b>Thickness</b>	0,44
<b>Weight g/m2</b>	300
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	7
<b>Solar_Reflection</b>	10
<b>Solar_Absorption</b>	83
<b>Light_Transmission</b>	7
<b>Light_Absorption</b>	9
<b>GtotInt</b>	0,78
<b>UV_Reduction</b>	94
<b>Ref.</b>	ASX/504
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1(I), M1 (F), NFPA 701 (US)
<b>HealthCertification</b>	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_ to_light</b>	7
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	With film
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO

<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	147
<b>Weft_daN5cm</b>	137



Rullo



Verticali



Panels

# Aeroscreen X5 F.R. /

Ref. ASX/506



## EIGENSCHAFTEN

<b>Width cm</b>	300
<b>Thickness</b>	0,44
<b>Weight g/m2</b>	300
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	6
<b>Solar_Reflection</b>	4
<b>Solar_Absorption</b>	90
<b>Light_Transmission</b>	6
<b>Light_Absorption</b>	4
<b>GtotInt</b>	0,56
<b>UV_Reduction</b>	94
<b>Ref.</b>	ASX/506
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1(I), M1 (F), NFPA 701 (US)
<b>HealthCertification</b>	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_ to_light</b>	7
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	With film

<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	147
<b>Weft_daN5cm</b>	137




Rullo



Verticali



Panels




## Aeroscreen X5 F.R. /

*Ref. ASX/503*

### EIGENSCHAFTEN

<b>Width cm</b>	300
<b>Thickness</b>	0,44
<b>Weight g/m2</b>	300
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	19
<b>Solar_Reflection</b>	29
<b>Solar_Absorption</b>	52
<b>Light_Transmission</b>	16
<b>Light_Absorption</b>	28
<b>GtotInt</b>	0,48
<b>UV_Reduction</b>	92
<b>Ref.</b>	ASX/503
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1(I), M1 (F), NFPA 701 (US)
<b>HealthCertification</b>	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
<b>Transparency</b>	Low Transparent

Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	147
Weft_daN5cm	137



Rullo



Verticali



Panels

## *Aeroscreen X5 F.R. /*

*Ref. ASX/502*

### EIGENSCHAFTEN

<b>Width cm</b>	300
<b>Thickness</b>	0,44
<b>Weight g/m2</b>	300
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	32
<b>Solar_Reflection</b>	48
<b>Solar_Absorption</b>	20
<b>Light_Transmission</b>	29
<b>Light_Absorption</b>	49
<b>GtotInt</b>	0,42
<b>UV_Reduction</b>	91
<b>Ref.</b>	ASX/502
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1(I), M1 (F), NFPA 701 (US)

<b>HealthCertification</b>	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_ to_light</b>	7
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	With film
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Beige
<b>Warp_daN5cm</b>	147
<b>Weft_daN5cm</b>	137



Rullo



Verticali



Panels



## Aeroscreen X5 F.R. /

Ref. ASX/501

### EIGENSCHAFTEN

<b>Width cm</b>	300
<b>Thickness</b>	0,44
<b>Weight g/m2</b>	300
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	36
<b>Solar_Reflection</b>	54
<b>Solar_Absorption</b>	10
<b>Light_Transmission</b>	35
<b>Light_Absorption</b>	59
<b>GtotInt</b>	0,4



<b>UV_Reduction</b>	89
<b>Ref.</b>	ASX/501
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1(I), M1 (F), NFPA 701 (US)
<b>HealthCertification</b>	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_ to_light</b>	7
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	With film
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	White
<b>Warp_daN5cm</b>	147
<b>Weft_daN5cm</b>	137



Rullo



Verticali



Panels