


Ecoscreen F.R. / Ref. EC/005

EIGENSCHAFTEN

Width cm	270
Thickness	0,41
Weight g/m2	230
Openess_Factor	1
Solar_Trasmission	8
Solar_Reflection	31
Solar_Absorption	61
Light_Transmission	6
Light_Absorption	31
GtotInt	0,42
UV_Reduction	99
Sound_Absorption	0,6
Ref.	EC/005
Composition	100% RECYCLED PET
F.R. Classification	Classe 1 (I), M1(F), B1(D),NFPA 701(US)
HealthCertification	CRADLE TO CRADLE, GREENGUARD GOLD
Transparency	Dimout
Colour_fastness_ to_light	6/8
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	114
Weft_daN5cm	127



Rullo



Verticali




Panels

Ecoscreen F.R. / Ref. EC/004

EIGENSCHAFTEN

Width cm	270
Thickness	0,41
Weight g/m2	230
Openess_Factor	1
Solar_Trasmision	18
Solar_Reflection	50
Solar_Absorption	32
Light_Transmission	11
Light_Absorption	45
GtotInt	0,25
UV_Reduction	99
Sound_Absorption	0,6
Ref.	EC/004
Composition	100% RECYCLED PET
F.R. Classification	Classe 1 (I), M1(F), B1(D),NFPA 701(US)
HealthCertification	CRADLE TO CRADLE, GREENGUARD GOLD
Transparency	Dimout
Colour_fastness_ to_light	6/8
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Beige
Warp_daN5cm	114
Weft_daN5cm	127



Rullo



Verticali




Panels

Ecoscreen F.R. / Ref. EC/003

EIGENSCHAFTEN

Width cm	270
Thickness	0,41
Weight g/m2	230
Openess_Factor	1
Solar_Trasmision	21
Solar_Reflection	59
Solar_Absorption	20
Light_Transmission	18
Light_Absorption	60
GtotInt	0,35
UV_Reduction	99
Sound_Absorption	0,6
Ref.	EC/003
Composition	100% RECYCLED PET
F.R. Classification	Classe 1 (I), M1(F), B1(D),NFPA 701(US)
HealthCertification	CRADLE TO CRADLE, GREENGUARD GOLD
Transparency	Dimout
Colour_fastness_ to_light	6/8
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	114
Weft_daN5cm	127



Rullo



Verticali




Panels

Ecoscreen F.R. / Ref. EC/002

EIGENSCHAFTEN

Width cm	270
Thickness	0,41
Weight g/m2	230
Openess_Factor	1
Solar_Trasmision	25
Solar_Reflection	61
Solar_Absorption	14
Light_Transmission	23
Light_Absorption	66
GtotInt	0,34
UV_Reduction	98
Sound_Absorption	0,6
Ref.	EC/002
Composition	100% RECYCLED PET
F.R. Classification	Classe 1 (I), M1(F), B1(D),NFPA 701(US)
HealthCertification	CRADLE TO CRADLE, GREENGUARD GOLD
Transparency	Dimout
Colour_fastness_ to_light	6/8
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural
Warp_daN5cm	114
Weft_daN5cm	127



Rullo



Verticali




Panels



Ecoscreen F.R. / Ref. EC/001

EIGENSCHAFTEN

Width cm	270
Thickness	0,41
Weight g/m2	230
Openess_Factor	1
Solar_Trasmision	26
Solar_Reflection	60
Solar_Absorption	14
Light_Transmission	25
Light_Absorption	64
GtotInt	0,35
UV_Reduction	95
Sound_Absorption	0,6
Ref.	EC/001
Composition	100% RECYCLED PET
F.R. Classification	Classe 1 (I), M1(F), B1(D),NFPA 701(US)
HealthCertification	CRADLE TO CRADLE, GREENGUARD GOLD
Transparency	Dimout
Colour_fastness_ to_light	6/8
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	White
Warp_daN5cm	114
Weft_daN5cm	127



Rullo



Verticali



Panels