


Screen G3 - 5% F.R. / Ref.

G35/23-320




EIGENSCHAFTEN

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmission	7
Solar_Reflection	10
Solar_Absorption	83
Light_Transmission	7
GtotInt	0,55
UV_Reduction	94
Ref.	G35/23-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	130



Rullo




Lucernari



Garden

Screen G3 - 5% F.R. / Ref.

G35/12-320



EIGENSCHAFTEN

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmission	20
Solar_Reflection	39
Solar_Absorption	41
Light_Transmission	17
GtotInt	0,42
UV_Reduction	94
Ref.	G35/12-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	130
Weft_daN5cm	130



Rullo




Lucernari



Garden



Screen G3 - 5% F.R. / Ref. G35/10-320




EIGENSCHAFTEN

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmission	24
Solar_Reflection	65
Solar_Absorption	11
Light_Transmission	23
GtotInt	0,3
UV_Reduction	94
Ref.	G35/10-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	130
Weft_daN5cm	130



Rullo




Lucernari



Garden

Screen G3 - 5% F.R. / Ref.

G35/11-320



EIGENSCHAFTEN

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmission	20
Solar_Reflection	50
Solar_Absorption	30
Light_Transmission	18
GtotInt	0,38
UV_Reduction	94
Ref.	G35/11-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	130



Rullo




Lucernari



Garden

Screen G3 - 5% F.R. / Ref.

G35/18-320




EIGENSCHAFTEN

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmision	23
Solar_Reflection	58
Solar_Absorption	19
Light_Transmission	21
GtotInt	0,34
UV_Reduction	94
Ref.	G35/18-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	130
Weft_daN5cm	130



Rullo



Lucernari



Garden