


Screen G3 -10% F.R. / Ref. G310/10-320




CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	340
Openess_Factor	10
Solar_Trasmission	28
Solar_Reflection	62
Solar_Absorption	10
Light_Transmission	27
GtotInt	0,32
UV_Reduction	90
Ref.	G310/10-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	140
Weft_daN5cm	110



Rullo



Lucernari




Garden

Screen G3 -10% F.R. / Ref. G310-23-320

CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	340
Openess_Factor	10
Solar_Trasmission	11
Solar_Reflection	9
Solar_Absorption	80
Light_Transmission	10
GtotInt	0,54
UV_Reduction	90
Ref.	G310-23-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	140
Weft_daN5cm	110



Rullo



Lucernari



Garden

Screen G3 -10% F.R. / Ref. G310/11-320



CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	340
Openess_Factor	10
Solar_Trasmission	25
Solar_Reflection	50
Solar_Absorption	25
Light_Transmission	22
GtotInt	0,38
UV_Reduction	90
Ref.	G310/11-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	140
Weft_daN5cm	110



Rullo



Lucernari



Garden

Screen G3 -10% F.R. / Ref. G310/12-320



CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	340
Openess_Factor	10
Solar_Trasmission	24
Solar_Reflection	37
Solar_Absorption	39
Light_Transmission	21
GtotInt	0,43
UV_Reduction	90
Ref.	G310/12-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	140
Weft_daN5cm	110



Rullo




Lucernari



Garden

Screen G3 -10% F.R. / Ref. G310/18-320



CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	340
Openess_Factor	10
Solar_Trasmission	27
Solar_Reflection	56
Solar_Absorption	17
Light_Transmission	25
GtotInt	0,36
UV_Reduction	90
Ref.	G310/18-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	140
Weft_daN5cm	110



Rullo



Lucernari



Garden