


## Screen P43 F.R. / Ref. P/437-300

### RECURSOS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmision	4
Solar_Reflection	4
Solar_Absorption	92
Light_Transmission	6
Light_Absorption	3
GtotInt	0,59
UV_Reduction	96
Ref.	P/437-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali



Panels



Lucernari




Garden



## Screen P43 F.R. / Ref. P/436-300

### RECURSOS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	3
Solar_Reflection	10
Solar_Absorption	87
Light_Transmission	4
Light_Absorption	9
GtotInt	0,57
UV_Reduction	97
Ref.	P/436-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	140
Weft_daN5cm	140





Rullo



Verticali



Panneli



Lucernari



Giardino



## Screen P43 F.R. / Ref. P/435-300

### RECURSOS

<b>Width cm</b>	300
<b>Thickness</b>	0,56
<b>Weight g/m2</b>	440
<b>Openess_Factor</b>	3
<b>Solar_Trasmission</b>	4
<b>Solar_Reflection</b>	8
<b>Solar_Absorption</b>	88
<b>Light_Transmission</b>	6
<b>Light_Absorption</b>	6
<b>GtotInt</b>	0,58
<b>UV_Reduction</b>	96
<b>Ref.</b>	P/435-300
<b>Composition</b>	30% PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Brown
<b>Warp_daN5cm</b>	140



Rullo



Verticali




Panels



Lucernari



Garden



## Screen P43 F.R. / Ref. P/434-300

### RECURSOS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	7
Solar_Reflection	38
Solar_Absorption	55
Light_Transmission	7
Light_Absorption	32
GtotInt	0,46
UV_Reduction	96
Ref.	P/434-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black

Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali




Panels



Lucernari



Garden



## Screen P43 F.R. / Ref. P/433-300

### RECURSOS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmision	11
Solar_Reflection	44
Solar_Absorption	45
Light_Transmission	10
Light_Absorption	38
GtotInt	0,4
UV_Reduction	95
Ref.	P/433-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No

<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	140
<b>Weft_daN5cm</b>	140



Rullo



Verticali




Panels



Lucernari



Garden



## Screen P43 F.R. / Ref. P/432-300

### RECURSOS

<b>Width cm</b>	300
<b>Thickness</b>	0,56
<b>Weight g/m2</b>	440
<b>Openess_Factor</b>	3
<b>Solar_Trasmission</b>	17
<b>Solar_Reflection</b>	58
<b>Solar_Absorption</b>	25
<b>Light_Transmission</b>	14
<b>Light_Absorption</b>	47
<b>GtotInt</b>	0,35
<b>UV_Reduction</b>	96
<b>Ref.</b>	P/432-300
<b>Composition</b>	30% PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si



<b>IMO</b>	No
<b>Tone</b>	Beige
<b>Warp_daN5cm</b>	140
<b>Weft_daN5cm</b>	140




Rullo



Verticali




Panels



Lucernari



Garden



## **Screen P43 F.R. / Ref. P/431-300**

### RECORSOS

<b>Width cm</b>	300
<b>Thickness</b>	0,56
<b>Weight g/m2</b>	440
<b>Openess_Factor</b>	3
<b>Solar_Trasmission</b>	17
<b>Solar_Reflection</b>	71
<b>Solar_Absorption</b>	12
<b>Light_Transmission</b>	14
<b>Light_Absorption</b>	58
<b>GtotInt</b>	0,28
<b>UV_Reduction</b>	96
<b>Ref.</b>	P/431-300
<b>Composition</b>	30% PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes

jointed	Si
IMO	No
Tone	White
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali



Panels



Lucernari




Garden



## Screen P43 F.R. / Ref. P/430-300

### RECURSOS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	17
Solar_Reflection	71
Solar_Absorption	12
Light_Transmission	14
Light_Absorption	58
GtotInt	0,28
UV_Reduction	96
Ref.	P/430-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8





<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	White
<b>Warp_daN5cm</b>	140
<b>Weft_daN5cm</b>	140



Rullo



Verticali



Panels



Lucernari



Garden