


## Tratto F.R. / Art. TX/3741/01

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,34
<b>Weight g/m2</b>	118
<b>Openess_Factor</b>	29
<b>Solar_Trasmission</b>	59
<b>Solar_Reflection</b>	39
<b>Solar_Absorption</b>	2
<b>Light_Transmission</b>	59
<b>Light_Absorption</b>	40
<b>GtotInt</b>	0,48
<b>UV_Reduction</b>	58
<b>Ref.</b>	TX/3741/01
<b>Composition</b>	100% PL Trevira CS
<b>F.R. Classification</b>	Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), IMO, EN 13773 Class 1 (EU)
<b>HealthCertification</b>	OEKO-TEX, REACH
<b>Transparency</b>	Transparent
<b>Colour_fastness_to_light</b>	6
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	White



Rullo




Panels



## Tratto F.R. / Art. TX/3741/06

### ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,34
Weight g/m2	118
Openess_Factor	29
Solar_Trasmision	47
Solar_Reflection	21
Solar_Absorption	32
Light_Transmission	32
Light_Absorption	24
GtotInt	0,51
UV_Reduction	67
Ref.	TX/3741/06
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), IMO, EN 13773 Class 1 (EU)
HealthCertification	OEKO-TEX, REACH
Transparency	Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo




Panels

## Tratto F.R. / Art. TX/3741/05

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,34
<b>Weight g/m2</b>	118
<b>Openess_Factor</b>	29
<b>Solar_Trasmision</b>	51
<b>Solar_Reflection</b>	21
<b>Solar_Absorption</b>	28
<b>Light_Transmission</b>	42
<b>Light_Absorption</b>	24
<b>GtotInt</b>	0,52
<b>UV_Reduction</b>	63
<b>Ref.</b>	TX/3741/05
<b>Composition</b>	100% PL Trevira CS
<b>F.R. Classification</b>	Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), IMO, EN 13773 Class 1 (EU)
<b>HealthCertification</b>	OEKO-TEX, REACH
<b>Transparency</b>	Transparent
<b>Colour_fastness_to_light</b>	6
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Grey/Black



Rullo




Panels



## Tratto F.R. / Art. TX/3741/04

### ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,34
Weight g/m2	118
Openess_Factor	29
Solar_Trasmision	58
Solar_Reflection	29
Solar_Absorption	13
Light_Transmission	52
Light_Absorption	32
GtotInt	0,5
UV_Reduction	57
Ref.	TX/3741/04
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), IMO, EN 13773 Class 1 (EU)
HealthCertification	OEKO-TEX, REACH
Transparency	Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo



Panels



## Tratto F.R. / Art. TX/3741/02

### ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,34
Weight g/m2	118
Openess_Factor	29
Solar_Trasmision	61
Solar_Reflection	35
Solar_Absorption	4
Light_Transmission	61
Light_Absorption	36
GtotInt	0,49
UV_Reduction	55
Ref.	TX/3741/02
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), IMO, EN 13773 Class 1 (EU)
HealthCertification	OEKO-TEX, REACH
Transparency	Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural



Rullo



Panels

## Tratto F.R. / Art. TX/3741/07

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,34
<b>Weight g/m2</b>	118
<b>Openess_Factor</b>	29
<b>Solar_Trasmision</b>	54
<b>Solar_Reflection</b>	30
<b>Solar_Absorption</b>	16
<b>Light_Transmission</b>	48
<b>Light_Absorption</b>	25
<b>GtotInt</b>	0,5
<b>UV_Reduction</b>	61
<b>Ref.</b>	TX/3741/07
<b>Composition</b>	100% PL Trevira CS
<b>F.R. Classification</b>	Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), IMO, EN 13773 Class 1 (EU)
<b>HealthCertification</b>	OEKO-TEX, REACH
<b>Transparency</b>	Transparent
<b>Colour_fastness_to_light</b>	6
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Beige



Rullo



Panels