


Aeroscreen X5 F.R. / Art. ASX/504

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmission	7
Solar_Reflection	10
Solar_Absorption	83
Light_Transmission	7
Light_Absorption	9
GtotInt	0,78
UV_Reduction	94
Ref.	ASX/504
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO- TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_ to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	147
Weft_daN5cm	137



Rullo



Verticali



Panels

Aeroscreen X5 F.R. / Art.

ASX/506



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	6
Solar_Reflection	4
Solar_Absorption	90
Light_Transmission	6
Light_Absorption	4
GtotInt	0,56
UV_Reduction	94
Ref.	ASX/506
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	147
Weft_daN5cm	137



Rullo




Verticali



Panels



Aeroscreen X5 F.R. / Art. ASX/503



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	19
Solar_Reflection	29
Solar_Absorption	52
Light_Transmission	16
Light_Absorption	28
GtotInt	0,48
UV_Reduction	92
Ref.	ASX/503
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	147
Weft_daN5cm	137



Rullo




Verticali



Panels

Aeroscreen X5 F.R. / Art. ASX/502



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	32
Solar_Reflection	48
Solar_Absorption	20
Light_Transmission	29
Light_Absorption	49
GtotInt	0,42
UV_Reduction	91
Ref.	ASX/502
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Beige
Warp_daN5cm	147
Weft_daN5cm	137



Rullo



Verticali



Panels

Aeroscreen X5 F.R. / Art. ASX/505

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	7
Solar_Reflection	9
Solar_Absorption	84
Light_Transmission	6
Light_Absorption	5
GtotInt	0,54
UV_Reduction	94
Ref.	ASX/505
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Brown
Warp_daN5cm	147
Weft_daN5cm	137



Rullo




Verticali



Panels



Aeroscreen X5 F.R. / Art. ASX/501



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	36
Solar_Reflection	54
Solar_Absorption	10
Light_Transmission	35
Light_Absorption	59
GtotInt	0,4
UV_Reduction	89
Ref.	ASX/501
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	White
Warp_daN5cm	147
Weft_daN5cm	137



Rullo



Verticali



Panels