


Screen P40 F.R. / Art. P/401-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,63
Weight g/m2	520
Openess_Factor	0,5
Solar_Trasmission	19
Solar_Reflection	67
Solar_Absorption	14
Light_Transmission	16
Light_Absorption	77
GtotInt	0,33
UV_Reduction	96
Ref.	P/401-300
Composition	25%PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	220
Weft_daN5cm	155



Rullo



Panels




Lucernari



Garden

Screen P40 F.R. / Art. P/407-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,63
Weight g/m2	520
Openess_Factor	0,5
Solar_Trasmision	2
Solar_Reflection	5
Solar_Absorption	93
Light_Transmission	2
Light_Absorption	5
GtotInt	0,55
UV_Reduction	96
Ref.	P/407-300
Composition	25%PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	220
Weft_daN5cm	155



Rullo



Panels




Lucernari



Garden

Screen P40 F.R. / Art. P/405-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,63
Weight g/m2	520
Openess_Factor	0,5
Solar_Trasmision	10
Solar_Reflection	20
Solar_Absorption	70
Light_Transmission	16
Light_Absorption	5
GtotInt	0,53
UV_Reduction	96
Ref.	P/405-300
Composition	25%PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Brown
Warp_daN5cm	220
Weft_daN5cm	155



Rullo



Panels




Lucernari



Garden

Screen P40 F.R. / Art. P/403-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,63
Weight g/m2	520
Openess_Factor	0,5
Solar_Trasmision	11
Solar_Reflection	36
Solar_Absorption	53
Light_Transmission	6
Light_Absorption	38
GtotInt	0,43
UV_Reduction	96
Ref.	P/403-300
Composition	25%PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	220
Weft_daN5cm	155



Rullo



Panels



Lucernari




Garden

Screen P40 F.R. / Art. P/406-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,63
Weight g/m2	520
Openess_Factor	0,5
Solar_Trasmision	12
Solar_Reflection	27
Solar_Absorption	61
Light_Transmission	8
Light_Absorption	5
GtotInt	0,45
UV_Reduction	96
Ref.	P/406-300
Composition	25%PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	220
Weft_daN5cm	155



Rullo



Panels




Lucernari



Garden

Screen P40 F.R. / Art. P/402-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,63
Weight g/m2	520
Openess_Factor	0,5
Solar_Trasmission	16
Solar_Reflection	50
Solar_Absorption	34
Light_Transmission	14
Light_Absorption	55
GtotInt	0,36
UV_Reduction	96
Ref.	P/402-300
Composition	25%PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	220
Weft_daN5cm	155



Rullo



Panels



Lucernari



Garden