

Aeroscreen 4 F.R. / Art. AS/407

ХАРАКТЕРИСТИКИ

| | |
|--------------------------|--|
| Width cm | 240 |
| Thickness | 0,23 |
| Weight g/m2 | 165 |
| Openess_Factor | 4 |
| Solar_Trasmission | 8 |
| Solar_Reflection | 10 |
| Solar_Absorption | 82 |
| Light_Transmission | 7 |
| Light_Absorption | 9 |
| GtotInt | 0,54 |
| UV_Reduction | 95 |
| Ref. | AS/407 |
| Composition | 100% FV |
| F.R. Classification | Euroclass A2-s1,d0, Classe 1 (I), M0-M1(F),A2 (D), F0 (F), BS (GB) |
| HealthCertification | ANTIBACTERIAL, GREENGUARD, OEKO-TEX, REACH |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 7/8 |
| Outdoor | No |
| Sealable | No |
| adjustable | No |
| jointed | No |
| IMO | IMO |
| Tone | Brown |
| Warp_daN5cm | 110 |
| Weft_daN5cm | 70 |



Rullo

Aeroscreen 4 F.R. / Art. AS/406

ХАРАКТЕРИСТИКИ

| | |
|--------------------------|--|
| Width cm | 240 |
| Thickness | 0,23 |
| Weight g/m2 | 165 |
| Openess_Factor | 4 |
| Solar_Trasmision | 8 |
| Solar_Reflection | 14 |
| Solar_Absorption | 78 |
| Light_Transmission | 6 |
| Light_Absorption | 12 |
| GtotInt | 0,52 |
| UV_Reduction | 95 |
| Ref. | AS/406 |
| Composition | 100% FV |
| F.R. Classification | Euroclass A2-s1,d0, Classe 1 (I), M0-M1(F),A2 (D), F0 (F), BS (GB) |
| HealthCertification | ANTIBACTERIAL, GREENGUARD, OEKO-TEX, REACH |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 7/8 |
| Outdoor | No |
| Sealable | No |
| adjustable | No |
| jointed | No |
| IMO | IMO |
| Tone | Grey/Black |
| Warp_daN5cm | 110 |
| Weft_daN5cm | 70 |



Rullo



Aeroscreen 4 F.R. / Art. AS/405

ХАРАКТЕРИСТИКИ

| | |
|--------------------------|--|
| Width cm | 240 |
| Thickness | 0,23 |
| Weight g/m2 | 165 |
| Openess_Factor | 4 |
| Solar_Trasmision | 20 |
| Solar_Reflection | 33 |
| Solar_Absorption | 47 |
| Light_Transmission | 15 |
| Light_Absorption | 29 |
| GtotInt | 0,46 |
| UV_Reduction | 95 |
| Ref. | AS/405 |
| Composition | 100% FV |
| F.R. Classification | Euroclass A2-s1,d0, Classe 1 (I), M0-M1(F),A2 (D), F0 (F), BS (GB) |
| HealthCertification | ANTIBACTERIAL, GREENGUARD, OEKO-TEX, REACH |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 7/8 |
| Outdoor | No |
| Sealable | No |
| adjustable | No |
| jointed | No |
| IMO | IMO |
| Tone | Grey/Black |
| Warp_daN5cm | 110 |
| Weft_daN5cm | 70 |



Rullo



Aeroscreen 4 F.R. / Art. AS/404



ХАРАКТЕРИСТИКИ

| | |
|--------------------------|--|
| Width cm | 240 |
| Thickness | 0,23 |
| Weight g/m2 | 165 |
| Openess_Factor | 4 |
| Solar_Trasmision | 31 |
| Solar_Reflection | 51 |
| Solar_Absorption | 18 |
| Light_Transmission | 29 |
| Light_Absorption | 52 |
| GtotInt | 0,41 |
| UV_Reduction | 95 |
| Ref. | AS/404 |
| Composition | 100% FV |
| F.R. Classification | Euroclass A2-s1,d0, Classe 1 (I), M0-M1(F),A2 (D), F0 (F), BS (GB) |
| HealthCertification | ANTIBACTERIAL, GREENGUARD, OEKO-TEX, REACH |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 7/8 |
| Outdoor | No |
| Sealable | No |
| adjustable | No |
| jointed | No |
| IMO | IMO |
| Tone | Grey/Black |
| Warp_daN5cm | 110 |
| Weft_daN5cm | 70 |



Rullo

Aeroscreen 4 F.R. / Art. AS/403




ХАРАКТЕРИСТИКИ

| | |
|--------------------------|--|
| Width cm | 240 |
| Thickness | 0,23 |
| Weight g/m2 | 165 |
| Openess_Factor | 4 |
| Solar_Trasmision | 29 |
| Solar_Reflection | 46 |
| Solar_Absorption | 25 |
| Light_Transmission | 26 |
| Light_Absorption | 46 |
| GtotInt | 0,42 |
| UV_Reduction | 95 |
| Ref. | AS/403 |
| Composition | 100% FV |
| F.R. Classification | Euroclass A2-s1,d0, Classe 1 (I), M0-M1(F),A2 (D), F0 (F), BS (GB) |
| HealthCertification | ANTIBACTERIAL, GREENGUARD, OEKO-TEX, REACH |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 7/8 |
| Outdoor | No |
| Sealable | No |
| adjustable | No |
| jointed | No |
| IMO | IMO |
| Tone | Beige |
| Warp_daN5cm | 110 |
| Weft_daN5cm | 70 |



Rullo

Aeroscreen 4 F.R. / Art. AS/402



ХАРАКТЕРИСТИКИ

| | |
|--------------------------|--|
| Width cm | 240 |
| Thickness | 0,23 |
| Weight g/m2 | 165 |
| Openess_Factor | 4 |
| Solar_Trasmision | 34 |
| Solar_Reflection | 55 |
| Solar_Absorption | 11 |
| Light_Transmission | 34 |
| Light_Absorption | 58 |
| GtotInt | 0,4 |
| UV_Reduction | 95 |
| Ref. | AS/402 |
| Composition | 100% FV |
| F.R. Classification | Euroclass A2-s1,d0, Classe 1 (I), M0-M1(F),A2 (D), F0 (F), BS (GB) |
| HealthCertification | ANTIBACTERIAL, GREENGUARD, OEKO-TEX, REACH |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 7/8 |
| Outdoor | No |
| Sealable | No |
| adjustable | No |
| jointed | No |
| IMO | IMO |
| Tone | Natural |
| Warp_daN5cm | 110 |
| Weft_daN5cm | 70 |



Rullo



Aeroscreen 4 F.R. / Art. AS/401



ХАРАКТЕРИСТИКИ

| | |
|--------------------------|--|
| Width cm | 240 |
| Thickness | 0,23 |
| Weight g/m2 | 165 |
| Openess_Factor | 4 |
| Solar_Trasmision | 37 |
| Solar_Reflection | 59 |
| Solar_Absorption | 4 |
| Light_Transmission | 37 |
| Light_Absorption | 64 |
| GtotInt | 0,38 |
| UV_Reduction | 95 |
| Ref. | AS/401 |
| Composition | 100% FV |
| F.R. Classification | Euroclass A2-s1,d0, Classe 1 (I), M0-M1(F),A2 (D), F0 (F), BS (GB) |
| HealthCertification | ANTIBACTERIAL, GREENGUARD, OEKO-TEX, REACH |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 7/8 |
| Outdoor | No |
| Sealable | No |
| adjustable | No |
| jointed | No |
| IMO | IMO |
| Tone | White |
| Warp_daN5cm | 110 |
| Weft_daN5cm | 70 |



Rullo