


# Blackout RB F.R. / Ref.

RB/645

## EIGENSCHAFTEN

Width cm	300
Thickness	0,52
Weight g/m2	440
Solar_Reflection	46
Solar_Absorption	54
Light_Absorption	51
GtotInt	0,4
UV_Reduction	100
Ref.	RB/645
Composition	42% PL 58% RA
F.R. Classification	Classe 1 (I), BS (GB), NFPA 701(US)
HealthCertification	GREENGUARD, OEKO-TEX
Transparency	Blackout
Colour_fastness_to_light	5
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown



Rullo



Lucernari

# Blackout RB F.R. / Ref.

RB/648


## EIGENSCHAFTEN

---

Width cm	300
Thickness	0,52
Weight g/m2	440
Solar_Reflection	28
Solar_Absorption	72
Light_Absorption	30
GtotInt	0,45
UV_Reduction	100
Ref.	RB/648
Composition	42% PL 58% RA
F.R. Classification	Classe 1 (I), BS (GB), NFPA 701(US)
HealthCertification	GREENGUARD, OEKO-TEX
Transparency	Blackout
Colour_fastness_to_light	5
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Rullo



Lucernari




## Blackout RB F.R. / Ref.

RB/647

### EIGENSCHAFTEN

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	32
<b>Solar_Absorption</b>	68
<b>Light_Absorption</b>	33
<b>GtotInt</b>	0,44
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/647
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Grey/Black



Rullo



Lucernari




# Blackout RB F.R. / Ref.

RB/646

## EIGENSCHAFTEN

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	40
<b>Solar_Absorption</b>	60
<b>Light_Absorption</b>	45
<b>GtotInt</b>	0,42
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/646
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Grey/Black



Rullo



Lucernari




## *Blackout RB F.R. / Ref.*

*RB/644*

### EIGENSCHAFTEN

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	50
<b>Solar_Absorption</b>	50
<b>Light_Absorption</b>	56
<b>GtotInt</b>	0,38
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/644
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Beige



Rullo



Lucernari



# Blackout RB F.R. / Ref.


RB/643

## EIGENSCHAFTEN

Width cm	300
Thickness	0,52
Weight g/m2	440
Solar_Reflection	56
Solar_Absorption	44
Light_Absorption	61
GtotInt	0,36
UV_Reduction	100
Ref.	RB/643
Composition	42% PL 58% RA
F.R. Classification	Classe 1 (I), BS (GB), NFPA 701(US)
HealthCertification	GREENGUARD, OEKO-TEX
Transparency	Blackout
Colour_fastness_to_light	5
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural



Rullo



Lucernari




## Blackout RB F.R. / Ref.

RB/642

### EIGENSCHAFTEN

Width cm	300
Thickness	0,52
Weight g/m2	440
Solar_Reflection	64
Solar_Absorption	36
Light_Absorption	70
GtotInt	0,32
UV_Reduction	100
Ref.	RB/642
Composition	42% PL 58% RA
F.R. Classification	Classe 1 (I), BS (GB), NFPA 701(US)
HealthCertification	GREENGUARD, OEKO-TEX
Transparency	Blackout
Colour_fastness_to_light	5
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural



Rullo



Lucernari



# Blackout RB F.R. / Ref.

RB/641

## EIGENSCHAFTEN

Width cm	300
Thickness	0,52
Weight g/m2	440
Solar_Reflection	77
Solar_Absorption	23
Light_Absorption	87
GtotInt	0,28
UV_Reduction	100
Ref.	RB/641
Composition	42% PL 58% RA
F.R. Classification	Classe 1 (I), BS (GB), NFPA 701(US)
HealthCertification	GREENGUARD, OEKO-TEX
Transparency	Blackout
Colour_fastness_to_light	5
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	White



Rullo



Lucernari



