


Cross 1 F.R. / Ref. OS1/005

EIGENSCHAFTEN

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	39
Solar_Reflection	38
Solar_Absorption	23
Light_Transmission	25
Light_Absorption	31
GtotInt	0,51
UV_Reduction	70
Ref.	OS1/005
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo




Verticali



Cross 1 F.R. / Ref. OS1/002

EIGENSCHAFTEN

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	45
Solar_Reflection	43
Solar_Absorption	12
Light_Transmission	42
Light_Absorption	52
GtotInt	0,46
UV_Reduction	70
Ref.	OS1/002
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	4
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural



Rullo




Verticali



Cross 1 F.R. / Ref. OS1/001

EIGENSCHAFTEN

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmision	45
Solar_Reflection	43
Solar_Absorption	12
Light_Transmission	42
Light_Absorption	52
GtotInt	0,46
UV_Reduction	70
Ref.	OS1/001
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	White



Rullo



Verticali

Cross 1 F.R. / Ref. OS1/003

EIGENSCHAFTEN

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	39
Solar_Reflection	38
Solar_Absorption	23
Light_Transmission	25
Light_Absorption	31
GtotInt	0,51
UV_Reduction	70
Ref.	OS1/003
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Beige



Rullo




Verticali

Cross 1 F.R. / Ref. OS1/004

EIGENSCHAFTEN

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	39
Solar_Reflection	38
Solar_Absorption	23
Light_Transmission	25
Light_Absorption	31
GtotInt	0,51
UV_Reduction	70
Ref.	OS1/004
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Beige



Rullo



Verticali



Cross 1 F.R. / Ref. OS1/006

EIGENSCHAFTEN

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	30
Solar_Reflection	26
Solar_Absorption	44
Light_Transmission	25
Light_Absorption	31
GtotInt	0,51
UV_Reduction	70
Ref.	OS1/006
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Blue



Rullo




Verticali



Cross 1 F.R. / Ref. OS1/007

EIGENSCHAFTEN

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	30
Solar_Reflection	26
Solar_Absorption	44
Light_Transmission	25
Light_Absorption	31
GtotInt	0,51
UV_Reduction	70
Ref.	OS1/007
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Blue



Rullo



Verticali