

## Galaxy 3 F.R. / Ref. TX/3725/34

### EIGENSCHAFTEN

Width cm	285
Thickness	0,48
Weight g/m2	290
Openess_Factor	4
Solar_Trasmission	6
Solar_Reflection	61
Solar_Absorption	33
Light_Transmission	4
Light_Absorption	59
GtotInt	0,38
UV_Reduction	96
Ref.	TX/3725/34
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1(F),B1(D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	5/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black
Warp_daN5cm	100
Weft_daN5cm	220



Rullo




Panels

## Galaxy 3 F.R. / Ref. TX/3725/31

### EIGENSCHAFTEN

Width cm	285
Thickness	0,48
Weight g/m2	290
Openess_Factor	4
Solar_Trasmision	7
Solar_Reflection	66
Solar_Absorption	27
Light_Transmission	7
Light_Absorption	64
GtotInt	0,36
UV_Reduction	94
Ref.	TX/3725/31
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1(F),B1(D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	5/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	White
Warp_daN5cm	100
Weft_daN5cm	220



Rullo




Panels

# Galaxy 3 F.R. / Ref. TX/3725/32

## EIGENSCHAFTEN

Width cm	285
Thickness	0,48
Weight g/m2	290
Openess_Factor	4
Solar_Trasmission	7
Solar_Reflection	60
Solar_Absorption	33
Light_Transmission	5
Light_Absorption	58
GtotInt	0,39
UV_Reduction	95
Ref.	TX/3725/32
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1(F),B1(D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	5/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black
Warp_daN5cm	100
Weft_daN5cm	220



Rullo



Panels

## Galaxy 3 F.R. / Ref. TX/3725/33

### EIGENSCHAFTEN

Width cm	285
Thickness	0,48
Weight g/m2	290
Openess_Factor	4
Solar_Trasmision	7
Solar_Reflection	63
Solar_Absorption	30
Light_Transmission	5
Light_Absorption	60
GtotInt	0,38
UV_Reduction	95
Ref.	TX/3725/33
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1(F),B1(D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	5/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black
Warp_daN5cm	100
Weft_daN5cm	220



Rullo



Panels

## Galaxy 3 F.R. / Ref. TX/3725/35

### EIGENSCHAFTEN

Width cm	285
Thickness	0,48
Weight g/m2	290
Openess_Factor	4
Solar_Trasmission	7
Solar_Reflection	60
Solar_Absorption	33
Light_Transmission	5
Light_Absorption	58
GtotInt	0,39
UV_Reduction	95
Ref.	TX/3725/35
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), M1(F),B1(D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	5/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Brown
Warp_daN5cm	100
Weft_daN5cm	220



Rullo



Panels