


Colorscreen F.R. / Ref.

CO/008

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	25
Solar_Reflection	21
Solar_Absorption	54
UV_Reduction	86
Ref.	CO/008
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Brown
Warp_daN5cm	163
Weft_daN5cm	103



Rullo



Panels



Lucernari




Colorscreen F.R. / Ref.

CO/001

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	32
Solar_Reflection	43
Solar_Absorption	25
UV_Reduction	86
Ref.	CO/001
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	163
Weft_daN5cm	103



Rullo



Panels



Lucernari




Colorscreen F.R. / Ref.

CO/002

EIGENSCHAFTEN


Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	22
Solar_Reflection	22
Solar_Absorption	56
UV_Reduction	86
Ref.	CO/002
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Blue
Warp_daN5cm	163
Weft_daN5cm	103



Rullo



Panels



Lucernari



Colorscreen F.R. / Ref.

CO/003

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	21
Solar_Reflection	21
Solar_Absorption	58
UV_Reduction	86
Ref.	CO/003
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Blue
Warp_daN5cm	163
Weft_daN5cm	103



Rullo



Panels



Lucernari




Colorscreen F.R. / Ref.

CO/004

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	20
Solar_Reflection	21
Solar_Absorption	59
UV_Reduction	86
Ref.	CO/004
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	163
Weft_daN5cm	103



Rullo



Panels



Lucernari




Colorscreen F.R. / Ref.

CO/005

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	20
Solar_Reflection	16
Solar_Absorption	64
UV_Reduction	86
Ref.	CO/005
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Green
Warp_daN5cm	163
Weft_daN5cm	103





Rullo



Panels



Lucernari



Colorscreen F.R. / Ref.

CO/006

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	31
Solar_Reflection	39
Solar_Absorption	30
UV_Reduction	86
Ref.	CO/006
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Natural
Warp_daN5cm	163
Weft_daN5cm	103





Rullo



Panels



Lucernari




Colorscreen F.R. / Ref.

CO/007

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmission	27
Solar_Reflection	32
Solar_Absorption	41
UV_Reduction	86
Ref.	CO/007
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	163
Weft_daN5cm	103





Rullo



Panels



Lucernari




Colorscreen F.R. / Ref.

CO/009

EIGENSCHAFTEN

Width cm	250
Thickness	0,56
Weight g/m2	337
Openess_Factor	14
Solar_Trasmision	18
Solar_Reflection	17
Solar_Absorption	65
UV_Reduction	86
Ref.	CO/009
Composition	80% PVC 20% PL
F.R. Classification	Classe 1(I), NFPA 701 (US)
HealthCertification	GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Red
Warp_daN5cm	163
Weft_daN5cm	103





Rullo



Panels



Lucernari