

Screen G4 F.R. / Ref.

G/418-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmision	22
Solar_Reflection	60
Solar_Absorption	18
Light_Transmission	20
GtotInt	0,33
UV_Reduction	96
Ref.	G/418-320
Composition	36% FV 64% PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Natural
Warp_daN5cm	120



Weft_daN5cm	140
-------------	-----



Rullo



Verticali



Panels



Lucernari




Garden

MOTTURA

SOLUZIONI ALLA LUCE DEL SOLE

Screen G4 F.R. / Ref.

G/411-320



EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	18
Solar_Reflection	52
Solar_Absorption	30
Light_Transmission	16
GtotInt	0,37
UV_Reduction	96
Ref.	G/411-320
Composition	36% FV 64% PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor

Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Verticali



Panels




Lucernari



Garden

MOTTURA
SOLUZIONI ALLA LUCE DEL SOLE



Screen G4 F.R. / Ref.

G/434-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	15
Solar_Reflection	44
Solar_Absorption	41
Light_Transmission	12
GtotInt	0,41
UV_Reduction	96
Ref.	G/434-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO

HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Panels




Lucernari



Garden

MOTTURA
SOLUZIONI ALLA LUCE DEL SOLE



Screen G4 F.R. / Ref.

G/433-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	11
Solar_Reflection	20
Solar_Absorption	69
Light_Transmission	8
Gtotlnt	0,51
UV_Reduction	96


Ref.	G/433-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Panels




Lucernari



Garden

MOTTURA

SOLUZIONI ALLA LUCE DEL SOLE



Screen G4 F.R. / Ref.

G/435-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmision	7

Solar_Reflection	20
Solar_Absorption	73
Light_Transmission	6
GtotInt	0,5
UV_Reduction	96
Ref.	G/435-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Panels




Lucernari



Garden

MOTTURA
SOLUZIONI ALLA LUCE DEL SOLE

Screen G4 F.R. / Ref.



G/436-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	5
Solar_Absorption	91
Light_Transmission	4
GtotInt	0,56
UV_Reduction	96
Ref.	G/436-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Panels



Lucernari

MOTTURA

SOLUZIONI ALLA LUCE DEL SOLE






Garden

Screen G4 F.R. / Ref.

G/425-320



EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	16
Solar_Reflection	34
Solar_Absorption	50
Light_Transmission	14
GtotInt	0,44
UV_Reduction	96
Ref.	G/425-320
Composition	36% FV 64% PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120

Weft_daN5cm	140
-------------	-----



Rullo



Panels




Lucernari



Garden

MOTTURA

SOLUZIONI ALLA LUCE DEL SOLE



Screen G4 F.R. / Ref.

G/414-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	14
Solar_Reflection	28
Solar_Absorption	58
Light_Transmission	11
GtotInt	0,48
UV_Reduction	96
Ref.	G/414-320
Composition	36% FV 64% PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor

Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140

MOTTURA
SOLUZIONI ALLA LUCE DEL SOLE



Rullo



Panels



Lucernari



Garden



Screen G4 F.R. / Ref.

G/410-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	21
Solar_Reflection	67
Solar_Absorption	12
Light_Transmission	21
GtotInt	0,31
UV_Reduction	96
Ref.	G/410-320
Composition	36% FV 64% PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO

HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Verticali



Panels




Lucernari



Garden

MOTTURA
SOLUZIONI ALLA LUCE DEL SOLE



Screen G4 F.R. / Ref.

G/423-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	6
Solar_Reflection	9
Solar_Absorption	85
Light_Transmission	5
GtotInt	0,55
UV_Reduction	96
Ref.	G/423-320

Composition	36% FV 64% PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Panels



Lucernari



Garden

MOTTURA


SOLUZIONI ALLA LUCE DEL SOLE

Screen G4 F.R. / Ref.

G/412-320

EIGENSCHAFTEN

Width cm	320
Thickness	0,5



Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	17
Solar_Reflection	41
Solar_Absorption	42
Light_Transmission	15
GtotInt	0,42
UV_Reduction	96
Ref.	G/412-320
Composition	36% FV 64% PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Verticali



Panels



Lucernari



Garden

MOTTURA

SOLUZIONI ALLA LUCE DEL SOLE

Screen G4 F.R. / Ref.

G/432-320



EIGENSCHAFTEN



Width cm	320
Thickness	0,5
Weight g/m2	390
Openess_Factor	5
Solar_Trasmission	17
Solar_Reflection	52
Solar_Absorption	31
Light_Transmission	14
GtotInt	0,37
UV_Reduction	96
Ref.	G/432-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	120
Weft_daN5cm	140



Rullo



Panels



Lucernari



Garden