



Astra F.R. Plisse / Ref.

TP/AST/04

EIGENSCHAFTEN

Width cm	230
Thickness	0,35
Weight g/m2	200
Solar_Trasmission	28
Solar_Reflection	37
Solar_Absorption	35
Light_Transmission	17
Light_Absorption	39
GtotInt	0,45
UV_Reduction	83
Ref.	TP/AST/04
Composition	100% PL Trevira CS
F.R. Classification	Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown



Plissè




Astra F.R. Plisse / Ref.

TP/AST/07

EIGENSCHAFTEN

Width cm	230
Thickness	0,35
Weight g/m2	200
Solar_Trasmision	12
Solar_Reflection	13
Solar_Absorption	75
Light_Transmission	13
Light_Absorption	16
Gtotlnt	0,45
UV_Reduction	81
Ref.	TP/AST/07
Composition	100% PL Trevira CS
F.R. Classification	Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè



Astra F.R. Plisse / Ref.

TP/AST/02

EIGENSCHAFTEN

Width cm	230
Thickness	0,35
Weight g/m2	200
Solar_Trasmision	32
Solar_Reflection	48
Solar_Absorption	20
Light_Transmission	42
Light_Absorption	55
GtotInt	0,45
UV_Reduction	89
Ref.	TP/AST/02
Composition	100% PL Trevira CS
F.R. Classification	Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural



Plissé




Astra F.R. Plisse / Ref.

TP/AST/06

EIGENSCHAFTEN

Width cm	230
Thickness	0,35
Weight g/m2	200
Solar_Trasmision	32
Solar_Reflection	42
Solar_Absorption	26
Light_Transmission	20
Light_Absorption	30
GtotInt	0,48
UV_Reduction	86
Ref.	TP/AST/06
Composition	100% PL Trevira CS
F.R. Classification	Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè




Astra F.R. Plisse / Ref.

TP/AST/05

EIGENSCHAFTEN

Width cm	230
Thickness	0,35
Weight g/m2	200
Solar_Trasmision	36
Solar_Reflection	49
Solar_Absorption	15
Light_Transmission	31
Light_Absorption	46
GtotInt	0,46
UV_Reduction	85
Ref.	TP/AST/05
Composition	100% PL Trevira CS
F.R. Classification	Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissé




Astra F.R. Plisse / Ref.

TP/AST/03

EIGENSCHAFTEN

Width cm	230
Thickness	0,35
Weight g/m2	200
Solar_Trasmision	40
Solar_Reflection	47
Solar_Absorption	13
Light_Transmission	37
Light_Absorption	46
GtotInt	0,47
UV_Reduction	83
Ref.	TP/AST/03
Composition	100% PL Trevira CS
F.R. Classification	Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige



Plissé



Astra F.R. Plisse / Ref.

TP/AST/01

EIGENSCHAFTEN

Width cm	230
Thickness	0,35
Weight g/m2	200
Solar_Trasmision	43
Solar_Reflection	50
Solar_Absorption	7
Light_Transmission	45
Light_Absorption	54
GtotInt	0,45
UV_Reduction	90
Ref.	TP/AST/01
Composition	100% PL Trevira CS
F.R. Classification	Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	White



Plissé