

Classic 013 FR Plisse

/ Ref. TP/3900/27

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	41
Solar_Reflection	38
Solar_Absorption	21
Light_Transmission	40
Light_Absorption	38
GtotInt	0,55
UV_Reduction	82
Ref.	TP/3900/27
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown



Plissé

Classic 013 FR Plisse

/ Ref. TP/3900/26

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	32
Solar_Reflection	30
Solar_Absorption	38
Light_Transmission	17
Light_Absorption	15
GtotInt	0,55
UV_Reduction	89
Ref.	TP/3900/26
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown



Plissé



Classic 013 FR Plisse

/ Ref. TP/3900/02

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	52
Solar_Reflection	43
Solar_Absorption	5
Light_Transmission	52
Light_Absorption	43
GtotInt	0,69
UV_Reduction	74
Ref.	TP/3900/02
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural



Plissè



Classic 013 FR Plisse

/ Ref. TP/3900/07

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	43
Solar_Reflection	37
Solar_Absorption	20
Light_Transmission	31
Light_Absorption	29
GtotInt	0,73
UV_Reduction	85
Ref.	TP/3900/07
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Orange



Plissé





Classic 013 FR Plisse

/ Ref. TP/3900/09

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	41
Solar_Reflection	37
Solar_Absorption	22
Light_Transmission	47
Light_Absorption	40
GtotInt	0,52
UV_Reduction	86
Ref.	TP/3900/09
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige



Plissè



Classic 013 FR Plisse

/ Ref. TP/3900/11

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	30
Solar_Reflection	28
Solar_Absorption	42
Light_Transmission	8
Light_Absorption	7
GtotInt	0,55
UV_Reduction	92
Ref.	TP/3900/11
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown



Plissé




Classic 013 FR Plisse

/ Ref. TP/3900/14

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	42
Solar_Reflection	42
Solar_Absorption	16
Light_Transmission	39
Light_Absorption	33
GtotInt	0,49
UV_Reduction	76
Ref.	TP/3900/14
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè




Classic 013 FR Plisse

/ Ref. TP/3900/15

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	43
Solar_Reflection	38
Solar_Absorption	19
Light_Transmission	23
Light_Absorption	18
GtotInt	0,51
UV_Reduction	80
Ref.	TP/3900/15
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissé




Classic 013 FR Plisse

/ Ref. TP/3900/16

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	46
Solar_Reflection	30
Solar_Absorption	24
Light_Transmission	3
Light_Absorption	3
Gtotlnt	0,59
UV_Reduction	80
Ref.	TP/3900/16
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black





Plissé





Classic 013 FR Plisse

/ Ref. TP/3900/17

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	46
Solar_Reflection	30
Solar_Absorption	24
Light_Transmission	6
Light_Absorption	5
GtotInt	0,59
UV_Reduction	80
Ref.	TP/3900/17
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Blue





Plissé





Classic 013 FR Plisse

/ Ref. TP/3900/18

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	31
Solar_Reflection	32
Solar_Absorption	37
Light_Transmission	25
Light_Absorption	20
GtotInt	0,63
UV_Reduction	87
Ref.	TP/3900/18
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Blue





Plissé




Classic 013 FR Plisse

/ Ref. TP/3900/20

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	43
Solar_Reflection	41
Solar_Absorption	16
Light_Transmission	44
Light_Absorption	38
GtotInt	0,5
UV_Reduction	83
Ref.	TP/3900/20
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Green





Plissé




Classic 013 FR Plisse

/ Ref. TP/3900/24

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	52
Solar_Reflection	41
Solar_Absorption	7
Light_Transmission	51
Light_Absorption	45
GtotInt	0,55
UV_Reduction	77
Ref.	TP/3900/24
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige





Plissé




Classic 013 FR Plisse

/ Ref. TP/3900/28

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	46
Solar_Reflection	41
Solar_Absorption	13
Light_Transmission	48
Light_Absorption	45
GtotInt	0,55
UV_Reduction	80
Ref.	TP/3900/28
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Yellow





Plissè



Classic 013 FR Plisse

/ Ref. TP/3900/23

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	43
Solar_Reflection	39
Solar_Absorption	18
Light_Transmission	52
Light_Absorption	46
GtotInt	0,55
UV_Reduction	77
Ref.	TP/3900/23
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural





Plissé




Classic 013 FR Plisse

/ Ref. TP/3900/29

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	39
Solar_Reflection	38
Solar_Absorption	23
Light_Transmission	30
Light_Absorption	29
GtotInt	0,55
UV_Reduction	83
Ref.	TP/3900/29
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No



Tone	Green
-------------	-------



Plissé



Classic 013 FR Plisse

/ Ref. TP/3900/25

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmision	38
Solar_Reflection	35
Solar_Absorption	27
Light_Transmission	34
Light_Absorption	32
GtotInt	0,55
UV_Reduction	83
Ref.	TP/3900/25
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No



Tone	Brown
-------------	-------



Plissé



Classic 013 FR Plisse

/ Ref. TP/3900/01

EIGENSCHAFTEN

Width cm	225
Thickness	0,16
Weight g/m2	86
Solar_Trasmission	49
Solar_Reflection	47
Solar_Absorption	4
Light_Transmission	53
Light_Absorption	46
GtotInt	0,48
UV_Reduction	67
Ref.	TP/3900/01
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si



IMO	No
Tone	White



Plissé