



# Classic 013 FR Plisse

/ Ref. TP/3900/11

## EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 30                   |
| Solar_Reflection         | 28                   |
| Solar_Absorption         | 42                   |
| Light_Transmission       | 8                    |
| Light_Absorption         | 7                    |
| GtotInt                  | 0,55                 |
| UV_Reduction             | 92                   |
| Ref.                     | TP/3900/11           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | OEKO-TEX             |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Brown                |



Plissé

# Classic 013 FR Plisse

/ Ref. TP/3900/26

## EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmision         | 32                   |
| Solar_Reflection         | 30                   |
| Solar_Absorption         | 38                   |
| Light_Transmission       | 17                   |
| Light_Absorption         | 15                   |
| GtotInt                  | 0,55                 |
| UV_Reduction             | 89                   |
| Ref.                     | TP/3900/26           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | OEKO-TEX             |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Brown                |



Plissè




# Classic 013 FR Plisse

/ Ref. TP/3900/02

## EIGENSCHAFTEN

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 52                   |
| Solar_Reflection         | 43                   |
| Solar_Absorption         | 5                    |
| Light_Transmission       | 52                   |
| Light_Absorption         | 43                   |
| GtotInt                  | 0,69                 |
| UV_Reduction             | 74                   |
| Ref.                     | TP/3900/02           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Natural              |



Plissé



# Classic 013 FR Plisse

/ Ref. TP/3900/07

## EIGENSCHAFTEN

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmision         | 43                   |
| Solar_Reflection         | 37                   |
| Solar_Absorption         | 20                   |
| Light_Transmission       | 31                   |
| Light_Absorption         | 29                   |
| GtotInt                  | 0,73                 |
| UV_Reduction             | 85                   |
| Ref.                     | TP/3900/07           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Orange               |



Plissé




# Classic 013 FR Plisse

/ Ref. TP/3900/09

## EIGENSCHAFTEN

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 41                   |
| Solar_Reflection         | 37                   |
| Solar_Absorption         | 22                   |
| Light_Transmission       | 47                   |
| Light_Absorption         | 40                   |
| GtotInt                  | 0,52                 |
| UV_Reduction             | 86                   |
| Ref.                     | TP/3900/09           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Beige                |



Plissè




# Classic 013 FR Plisse

/ Ref. TP/3900/14

## EIGENSCHAFTEN

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 42                   |
| Solar_Reflection         | 42                   |
| Solar_Absorption         | 16                   |
| Light_Transmission       | 39                   |
| Light_Absorption         | 33                   |
| GtotInt                  | 0,49                 |
| UV_Reduction             | 76                   |
| Ref.                     | TP/3900/14           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Grey/Black           |



Plissè





# Classic 013 FR Plisse

/ Ref. TP/3900/15

## EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 43                   |
| Solar_Reflection         | 38                   |
| Solar_Absorption         | 19                   |
| Light_Transmission       | 23                   |
| Light_Absorption         | 18                   |
| GtotInt                  | 0,51                 |
| UV_Reduction             | 80                   |
| Ref.                     | TP/3900/15           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Grey/Black           |



Plissé




# Classic 013 FR Plisse

/ Ref. TP/3900/16

## EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 46                   |
| Solar_Reflection         | 30                   |
| Solar_Absorption         | 24                   |
| Light_Transmission       | 3                    |
| Light_Absorption         | 3                    |
| GtotInt                  | 0,59                 |
| UV_Reduction             | 80                   |
| Ref.                     | TP/3900/16           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Grey/Black           |



Plissé





# Classic 013 FR Plisse

/ Ref. TP/3900/17

## EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmision         | 46                   |
| Solar_Reflection         | 30                   |
| Solar_Absorption         | 24                   |
| Light_Transmission       | 6                    |
| Light_Absorption         | 5                    |
| Gtotlnt                  | 0,59                 |
| UV_Reduction             | 80                   |
| Ref.                     | TP/3900/17           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Blue                 |





Plissé




## Classic 013 FR Plisse

/ Ref. TP/3900/18

### EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 31                   |
| Solar_Reflection         | 32                   |
| Solar_Absorption         | 37                   |
| Light_Transmission       | 25                   |
| Light_Absorption         | 20                   |
| GtotInt                  | 0,63                 |
| UV_Reduction             | 87                   |
| Ref.                     | TP/3900/18           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Blue                 |





Plissé



## Classic 013 FR Plisse

/ Ref. TP/3900/20

### EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmision         | 43                   |
| Solar_Reflection         | 41                   |
| Solar_Absorption         | 16                   |
| Light_Transmission       | 44                   |
| Light_Absorption         | 38                   |
| GtotInt                  | 0,5                  |
| UV_Reduction             | 83                   |
| Ref.                     | TP/3900/20           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | No                   |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Green                |





Plissé



## Classic 013 FR Plisse

/ Ref. TP/3900/24

### EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 52                   |
| Solar_Reflection         | 41                   |
| Solar_Absorption         | 7                    |
| Light_Transmission       | 51                   |
| Light_Absorption         | 45                   |
| GtotInt                  | 0,55                 |
| UV_Reduction             | 77                   |
| Ref.                     | TP/3900/24           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | OEKO-TEX             |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Beige                |





Plissè




## Classic 013 FR Plisse

/ Ref. TP/3900/28

### EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 46                   |
| Solar_Reflection         | 41                   |
| Solar_Absorption         | 13                   |
| Light_Transmission       | 48                   |
| Light_Absorption         | 45                   |
| GtotInt                  | 0,55                 |
| UV_Reduction             | 80                   |
| Ref.                     | TP/3900/28           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | OEKO-TEX             |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Yellow               |





Plissé



## Classic 013 FR Plisse

/ Ref. TP/3900/23

### EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmission        | 43                   |
| Solar_Reflection         | 39                   |
| Solar_Absorption         | 18                   |
| Light_Transmission       | 52                   |
| Light_Absorption         | 46                   |
| GtotInt                  | 0,55                 |
| UV_Reduction             | 77                   |
| Ref.                     | TP/3900/23           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | OEKO-TEX             |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Natural              |





Plissé



## Classic 013 FR Plisse

/ Ref. TP/3900/27

### EIGENSCHAFTEN

---

|                          |                      |
|--------------------------|----------------------|
| Width cm                 | 225                  |
| Thickness                | 0,16                 |
| Weight g/m2              | 86                   |
| Solar_Trasmision         | 41                   |
| Solar_Reflection         | 38                   |
| Solar_Absorption         | 21                   |
| Light_Transmission       | 40                   |
| Light_Absorption         | 38                   |
| GtotInt                  | 0,55                 |
| UV_Reduction             | 82                   |
| Ref.                     | TP/3900/27           |
| Composition              | 100% PL              |
| F.R. Classification      | Classe 1 (I), B1 (D) |
| HealthCertification      | OEKO-TEX             |
| Transparency             | Low Transparent      |
| Colour_fastness_to_light | 6                    |
| Outdoor                  | No                   |
| Sealable                 | No                   |
| adjustable               | Yes                  |
| jointed                  | Si                   |
| IMO                      | No                   |
| Tone                     | Brown                |





Plissé




## Classic 013 FR Plisse

/ Ref. TP/3900/29

### EIGENSCHAFTEN

---

|                                 |                      |
|---------------------------------|----------------------|
| <b>Width cm</b>                 | 225                  |
| <b>Thickness</b>                | 0,16                 |
| <b>Weight g/m2</b>              | 86                   |
| <b>Solar_Trasmission</b>        | 39                   |
| <b>Solar_Reflection</b>         | 38                   |
| <b>Solar_Absorption</b>         | 23                   |
| <b>Light_Transmission</b>       | 30                   |
| <b>Light_Absorption</b>         | 29                   |
| <b>GtotInt</b>                  | 0,55                 |
| <b>UV_Reduction</b>             | 83                   |
| <b>Ref.</b>                     | TP/3900/29           |
| <b>Composition</b>              | 100% PL              |
| <b>F.R. Classification</b>      | Classe 1 (I), B1 (D) |
| <b>HealthCertification</b>      | OEKO-TEX             |
| <b>Transparency</b>             | Low Transparent      |
| <b>Colour_fastness_to_light</b> | 6                    |
| <b>Outdoor</b>                  | No                   |
| <b>Sealable</b>                 | No                   |
| <b>adjustable</b>               | Yes                  |
| <b>jointed</b>                  | Si                   |
| <b>IMO</b>                      | No                   |





|             |       |
|-------------|-------|
| <b>Tone</b> | Green |
|-------------|-------|



Plissé




## Classic 013 FR Plisse


/ Ref. TP/3900/25

### EIGENSCHAFTEN

|                                 |                      |
|---------------------------------|----------------------|
| <b>Width cm</b>                 | 225                  |
| <b>Thickness</b>                | 0,16                 |
| <b>Weight g/m2</b>              | 86                   |
| <b>Solar_Trasmision</b>         | 38                   |
| <b>Solar_Reflection</b>         | 35                   |
| <b>Solar_Absorption</b>         | 27                   |
| <b>Light_Transmission</b>       | 34                   |
| <b>Light_Absorption</b>         | 32                   |
| <b>GtotInt</b>                  | 0,55                 |
| <b>UV_Reduction</b>             | 83                   |
| <b>Ref.</b>                     | TP/3900/25           |
| <b>Composition</b>              | 100% PL              |
| <b>F.R. Classification</b>      | Classe 1 (I), B1 (D) |
| <b>HealthCertification</b>      | OEKO-TEX             |
| <b>Transparency</b>             | Low Transparent      |
| <b>Colour_fastness_to_light</b> | 6                    |
| <b>Outdoor</b>                  | No                   |
| <b>Sealable</b>                 | No                   |
| <b>adjustable</b>               | Yes                  |
| <b>jointed</b>                  | Si                   |
| <b>IMO</b>                      | No                   |



|             |       |
|-------------|-------|
| <b>Tone</b> | Brown |
|-------------|-------|



Plissé




## Classic 013 FR Plisse

/ Ref. TP/3900/01

### EIGENSCHAFTEN

|                                 |                      |
|---------------------------------|----------------------|
| <b>Width cm</b>                 | 225                  |
| <b>Thickness</b>                | 0,16                 |
| <b>Weight g/m2</b>              | 86                   |
| <b>Solar_Trasmission</b>        | 49                   |
| <b>Solar_Reflection</b>         | 47                   |
| <b>Solar_Absorption</b>         | 4                    |
| <b>Light_Transmission</b>       | 53                   |
| <b>Light_Absorption</b>         | 46                   |
| <b>GtotInt</b>                  | 0,48                 |
| <b>UV_Reduction</b>             | 67                   |
| <b>Ref.</b>                     | TP/3900/01           |
| <b>Composition</b>              | 100% PL              |
| <b>F.R. Classification</b>      | Classe 1 (I), B1 (D) |
| <b>HealthCertification</b>      | No                   |
| <b>Transparency</b>             | Low Transparent      |
| <b>Colour_fastness_to_light</b> | 6                    |
| <b>Outdoor</b>                  | No                   |
| <b>Sealable</b>                 | No                   |
| <b>adjustable</b>               | Yes                  |
| <b>jointed</b>                  | Si                   |



|             |       |
|-------------|-------|
| <b>IMO</b>  | No    |
| <b>Tone</b> | White |



Plissé