



Screen P45 F.R. / Ref.

P/455-300

EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	4
Solar_Absorption	92
Light_Transmission	5
Light_Absorption	6
GtotInt	0,6
UV_Reduction	93
Ref.	P/455-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown
Warp_daN5cm	130
Weft_daN5cm	120





Rullo



Verticali




Panels



Lucernari



Garden



Screen P45 F.R. / Ref.

P/457-300

EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	3
Solar_Absorption	93
Light_Transmission	6
Light_Absorption	6
GtotInt	0,61
UV_Reduction	93
Ref.	P/457-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes

jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali




Panels



Lucernari



Garden



Screen P45 F.R. / Ref.

P/456-300

EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	5
Solar_Absorption	91
Light_Transmission	6
Light_Absorption	6
GtotInt	0,6
UV_Reduction	93
Ref.	P/456-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent

Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120




Rullo



Verticali



Panels



Lucernari



Garden




Screen P45 F.R. / Ref.

P/454-300

EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	16
Solar_Reflection	40
Solar_Absorption	44
Light_Transmission	14
Light_Absorption	18
GtotInt	0,48
UV_Reduction	93



Ref.	P/454-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali




Panels



Lucernari



Garden



Screen P45 F.R. / Ref.

P/453-300

EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	16

Solar_Reflection	43
Solar_Absorption	41
Light_Transmission	15
Light_Absorption	18
GtotInt	0,42
UV_Reduction	93
Ref.	P/453-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali



Panels



Lucernari



Garden



Screen P45 F.R. / Ref.

P/452-300

EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	23
Solar_Reflection	54
Solar_Absorption	23
Light_Transmission	20
Light_Absorption	25
GtotInt	0,37
UV_Reduction	93
Ref.	P/452-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali



Panels



Lucernari



Garden




Screen P45 F.R. / Ref.

P/451-300

EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	22
Solar_Reflection	67
Solar_Absorption	11
Light_Transmission	19
Light_Absorption	24
GtotInt	0,3
UV_Reduction	93
Ref.	P/451-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	White
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali



Panels






Lucernari



Garden

Screen P45 F.R. / Ref.

P/450-300



EIGENSCHAFTEN

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	22
Solar_Reflection	67
Solar_Absorption	11
Light_Transmission	19
Light_Absorption	24
GtotInt	0,3
UV_Reduction	93
Ref.	P/450-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_ to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	White
Warp_daN5cm	130

Weit_daN5cm

120



Rullo



Verticali



Panels



Lucernari



Garden