

Soltis 86 F.R. / Ref.

S86/003

EIGENSCHAFTEN

Width cm	267
Thickness	0,43
Weight g/m2	380
Solar_Trasmission	12
Solar_Reflection	10
Solar_Absorption	78
Light_Transmission	11
Light_Absorption	12
GtotInt	0,53
GtotExt	0,12
Ref.	S86/003
Composition	35% PL 65% PVC
F.R. Classification	Euroclass B-s2,d0 (EU) Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), G1 (RU), VKF (CH)
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent / Transparent
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Brown
Warp_daN5cm	230
Weft_daN5cm	160



Rullo



Lucernari




Garden

Soltis 86 F.R. / Ref.

S86/006

EIGENSCHAFTEN

Width cm	267
Thickness	0,43
Weight g/m2	380
Solar_Trasmission	14
Solar_Reflection	29
Solar_Absorption	57
Light_Transmission	14
Light_Absorption	31
GtotInt	0,47
GtotExt	0,12
Ref.	S86/006
Composition	35% PL 65% PVC
F.R. Classification	Euroclass B-s2,d0 (EU) Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), G1 (RU), VKF (CH)
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent / Transparent
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	230
Weft_daN5cm	160





Rullo



Lucernari




Garden



Soltis 86 F.R. / Ref.

S86/005

EIGENSCHAFTEN



Width cm	267
Thickness	0,43
Weight g/m2	380
Solar_Trasmission	22
Solar_Reflection	42
Solar_Absorption	36
Light_Transmission	22
Light_Absorption	44
GtotInt	0,43
GtotExt	0,17
Ref.	S86/005
Composition	35% PL 65% PVC
F.R. Classification	Euroclass B-s2,d0 (EU) Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), G1 (RU), VKF (CH)
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent / Transparent
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	230
Weft_daN5cm	160



Rullo



Lucernari



Garden




Soltis 86 F.R. / Ref.

S86/004

EIGENSCHAFTEN

Width cm	267
Thickness	0,43
Weight g/m2	380
Solar_Trasmission	16
Solar_Reflection	7
Solar_Absorption	77
Light_Transmission	16
Light_Absorption	9
GtotInt	0,54
GtotExt	0,14
Ref.	S86/004
Composition	35% PL 65% PVC
F.R. Classification	Euroclass B-s2,d0 (EU) Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), G1 (RU), VKF (CH)
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent / Transparent
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	230
Weft_daN5cm	160





Rullo



Lucernari



Garden




Soltis 86 F.R. / Ref.

S86/002

EIGENSCHAFTEN

Width cm	267
Thickness	0,43
Weight g/m2	380
Solar_Trasmission	28
Solar_Reflection	57
Solar_Absorption	15
Light_Transmission	26
Light_Absorption	59
GtotInt	0,39
GtotExt	0,19
Ref.	S86/002
Composition	35% PL 65% PVC
F.R. Classification	Euroclass B-s2,d0 (EU) Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), G1 (RU), VKF (CH)
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent / Transparent
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Yellow
Warp_daN5cm	230
Weft_daN5cm	160





Rullo



Lucernari



Garden




Soltis 86 F.R. / Ref.

S86/001

EIGENSCHAFTEN

Width cm	267
Thickness	0,43
Weight g/m2	380
Solar_Trasmission	32
Solar_Reflection	59
Solar_Absorption	9
Light_Transmission	30
Light_Absorption	61
GtotInt	0,38
GtotExt	0,21
Ref.	S86/001
Composition	35% PL 65% PVC
F.R. Classification	Euroclass B-s2,d0 (EU) Classe 1 (I), M1 (F), B1 (D), BS (GB), NFPA 701 (US), G1 (RU), VKF (CH)
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent / Transparent
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	230
Weft_daN5cm	160





Rullo



Lucernari



Garden