

## **Blackout RB F.R. / Ref.**

**RB/642**

### CHARACTERISTICS

---

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <b>Width cm</b>                 | 300                                 |
| <b>Thickness</b>                | 0,52                                |
| <b>Weight g/m2</b>              | 440                                 |
| <b>Solar_Reflection</b>         | 64                                  |
| <b>Solar_Absorption</b>         | 36                                  |
| <b>Light_Absorption</b>         | 70                                  |
| <b>GtotInt</b>                  | 0,32                                |
| <b>UV_Reduction</b>             | 100                                 |
| <b>Ref.</b>                     | RB/642                              |
| <b>Composition</b>              | 42% PL 58% RA                       |
| <b>F.R. Classification</b>      | Classe 1 (I), BS (GB), NFPA 701(US) |
| <b>HealthCertification</b>      | GREENGUARD, OEKO-TEX                |
| <b>Transparency</b>             | Blackout                            |
| <b>Colour_fastness_to_light</b> | 5                                   |
| <b>Outdoor</b>                  | No                                  |
| <b>Sealable</b>                 | No                                  |
| <b>adjustable</b>               | Yes                                 |
| <b>jointed</b>                  | Si                                  |
| <b>IMO</b>                      | No                                  |
| <b>Tone</b>                     | Natural                             |



Rullo



Lucernari



# **Blackout RB F.R. / Ref.**

**RB/648**

## CHARACTERISTICS

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <b>Width cm</b>                 | 300                                 |
| <b>Thickness</b>                | 0,52                                |
| <b>Weight g/m2</b>              | 440                                 |
| <b>Solar_Reflection</b>         | 28                                  |
| <b>Solar_Absorption</b>         | 72                                  |
| <b>Light_Absorption</b>         | 30                                  |
| <b>GtotInt</b>                  | 0,45                                |
| <b>UV_Reduction</b>             | 100                                 |
| <b>Ref.</b>                     | RB/648                              |
| <b>Composition</b>              | 42% PL 58% RA                       |
| <b>F.R. Classification</b>      | Classe 1 (I), BS (GB), NFPA 701(US) |
| <b>HealthCertification</b>      | GREENGUARD, OEKO-TEX                |
| <b>Transparency</b>             | Blackout                            |
| <b>Colour_fastness_to_light</b> | 5                                   |
| <b>Outdoor</b>                  | No                                  |
| <b>Sealable</b>                 | No                                  |
| <b>adjustable</b>               | Yes                                 |
| <b>jointed</b>                  | Si                                  |
| <b>IMO</b>                      | No                                  |
| <b>Tone</b>                     | Grey/Black                          |



Rullo



Lucernari

# **Blackout RB F.R. / Ref.**

**RB/647**

## CHARACTERISTICS

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <b>Width cm</b>                 | 300                                 |
| <b>Thickness</b>                | 0,52                                |
| <b>Weight g/m2</b>              | 440                                 |
| <b>Solar_Reflection</b>         | 32                                  |
| <b>Solar_Absorption</b>         | 68                                  |
| <b>Light_Absorption</b>         | 33                                  |
| <b>GtotInt</b>                  | 0,44                                |
| <b>UV_Reduction</b>             | 100                                 |
| <b>Ref.</b>                     | RB/647                              |
| <b>Composition</b>              | 42% PL 58% RA                       |
| <b>F.R. Classification</b>      | Classe 1 (I), BS (GB), NFPA 701(US) |
| <b>HealthCertification</b>      | GREENGUARD, OEKO-TEX                |
| <b>Transparency</b>             | Blackout                            |
| <b>Colour_fastness_to_light</b> | 5                                   |
| <b>Outdoor</b>                  | No                                  |
| <b>Sealable</b>                 | No                                  |
| <b>adjustable</b>               | Yes                                 |
| <b>jointed</b>                  | Si                                  |
| <b>IMO</b>                      | No                                  |
| <b>Tone</b>                     | Grey/Black                          |



Rullo



Lucernari



# Blackout RB F.R. / Ref.

RB/646

## CHARACTERISTICS

|                          |                                     |
|--------------------------|-------------------------------------|
| Width cm                 | 300                                 |
| Thickness                | 0,52                                |
| Weight g/m2              | 440                                 |
| Solar_Reflection         | 40                                  |
| Solar_Absorption         | 60                                  |
| Light_Absorption         | 45                                  |
| GtotInt                  | 0,42                                |
| UV_Reduction             | 100                                 |
| Ref.                     | RB/646                              |
| Composition              | 42% PL 58% RA                       |
| F.R. Classification      | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification      | GREENGUARD, OEKO-TEX                |
| Transparency             | Blackout                            |
| Colour_fastness_to_light | 5                                   |
| Outdoor                  | No                                  |
| Sealable                 | No                                  |
| adjustable               | Yes                                 |
| jointed                  | Si                                  |
| IMO                      | No                                  |
| Tone                     | Grey/Black                          |



Rullo




Lucernari

# **Blackout RB F.R. / Ref.**

**RB/645**

## CHARACTERISTICS

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <b>Width cm</b>                 | 300                                 |
| <b>Thickness</b>                | 0,52                                |
| <b>Weight g/m2</b>              | 440                                 |
| <b>Solar_Reflection</b>         | 46                                  |
| <b>Solar_Absorption</b>         | 54                                  |
| <b>Light_Absorption</b>         | 51                                  |
| <b>GtotInt</b>                  | 0,4                                 |
| <b>UV_Reduction</b>             | 100                                 |
| <b>Ref.</b>                     | RB/645                              |
| <b>Composition</b>              | 42% PL 58% RA                       |
| <b>F.R. Classification</b>      | Classe 1 (I), BS (GB), NFPA 701(US) |
| <b>HealthCertification</b>      | GREENGUARD, OEKO-TEX                |
| <b>Transparency</b>             | Blackout                            |
| <b>Colour_fastness_to_light</b> | 5                                   |
| <b>Outdoor</b>                  | No                                  |
| <b>Sealable</b>                 | No                                  |
| <b>adjustable</b>               | Yes                                 |
| <b>jointed</b>                  | Si                                  |
| <b>IMO</b>                      | No                                  |
| <b>Tone</b>                     | Brown                               |



Rullo




Lucernari

# **Blackout RB F.R. / Ref.**

**RB/644**

## CHARACTERISTICS

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <b>Width cm</b>                 | 300                                 |
| <b>Thickness</b>                | 0,52                                |
| <b>Weight g/m2</b>              | 440                                 |
| <b>Solar_Reflection</b>         | 50                                  |
| <b>Solar_Absorption</b>         | 50                                  |
| <b>Light_Absorption</b>         | 56                                  |
| <b>GtotInt</b>                  | 0,38                                |
| <b>UV_Reduction</b>             | 100                                 |
| <b>Ref.</b>                     | RB/644                              |
| <b>Composition</b>              | 42% PL 58% RA                       |
| <b>F.R. Classification</b>      | Classe 1 (I), BS (GB), NFPA 701(US) |
| <b>HealthCertification</b>      | GREENGUARD, OEKO-TEX                |
| <b>Transparency</b>             | Blackout                            |
| <b>Colour_fastness_to_light</b> | 5                                   |
| <b>Outdoor</b>                  | No                                  |
| <b>Sealable</b>                 | No                                  |
| <b>adjustable</b>               | Yes                                 |
| <b>jointed</b>                  | Si                                  |
| <b>IMO</b>                      | No                                  |
| <b>Tone</b>                     | Beige                               |



Rullo




Lucernari

# **Blackout RB F.R. / Ref.**

**RB/643**

## CHARACTERISTICS

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <b>Width cm</b>                 | 300                                 |
| <b>Thickness</b>                | 0,52                                |
| <b>Weight g/m2</b>              | 440                                 |
| <b>Solar_Reflection</b>         | 56                                  |
| <b>Solar_Absorption</b>         | 44                                  |
| <b>Light_Absorption</b>         | 61                                  |
| <b>GtotInt</b>                  | 0,36                                |
| <b>UV_Reduction</b>             | 100                                 |
| <b>Ref.</b>                     | RB/643                              |
| <b>Composition</b>              | 42% PL 58% RA                       |
| <b>F.R. Classification</b>      | Classe 1 (I), BS (GB), NFPA 701(US) |
| <b>HealthCertification</b>      | GREENGUARD, OEKO-TEX                |
| <b>Transparency</b>             | Blackout                            |
| <b>Colour_fastness_to_light</b> | 5                                   |
| <b>Outdoor</b>                  | No                                  |
| <b>Sealable</b>                 | No                                  |
| <b>adjustable</b>               | Yes                                 |
| <b>jointed</b>                  | Si                                  |
| <b>IMO</b>                      | No                                  |
| <b>Tone</b>                     | Natural                             |



Rullo



Lucernari



# **Blackout RB F.R. / Ref.**

**RB/641**



## CHARACTERISTICS

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <b>Width cm</b>                 | 300                                 |
| <b>Thickness</b>                | 0,52                                |
| <b>Weight g/m2</b>              | 440                                 |
| <b>Solar_Reflection</b>         | 77                                  |
| <b>Solar_Absorption</b>         | 23                                  |
| <b>Light_Absorption</b>         | 87                                  |
| <b>GtotInt</b>                  | 0,28                                |
| <b>UV_Reduction</b>             | 100                                 |
| <b>Ref.</b>                     | RB/641                              |
| <b>Composition</b>              | 42% PL 58% RA                       |
| <b>F.R. Classification</b>      | Classe 1 (I), BS (GB), NFPA 701(US) |
| <b>HealthCertification</b>      | GREENGUARD, OEKO-TEX                |
| <b>Transparency</b>             | Blackout                            |
| <b>Colour_fastness_to_light</b> | 5                                   |
| <b>Outdoor</b>                  | No                                  |
| <b>Sealable</b>                 | No                                  |
| <b>adjustable</b>               | Yes                                 |
| <b>jointed</b>                  | Si                                  |
| <b>IMO</b>                      | No                                  |
| <b>Tone</b>                     | White                               |



Rullo



Lucernari