

Suite F.R. / Ref. SU/904

CHARACTERISTICS

Width cm	300
Thickness	0,45
Weight g/m2	325
Solar_Reflection	4
Solar_Absorption	96
Light_Absorption	4
GtotInt	0,55
UV_Reduction	98
Ref.	SU/904
Composition	100% PL F.R.
F.R. Classification	Classe 1 (I)
HealthCertification	No
Transparency	Blackout
Colour_fastness_to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Brown



Rullo

Suite F.R. / Ref. SU/903

CHARACTERISTICS

Width cm	300
Thickness	0,45
Weight g/m2	325
Solar_Reflection	4
Solar_Absorption	96
Light_Absorption	4
GtotInt	0,55
UV_Reduction	98
Ref.	SU/903
Composition	100% PL F.R.
F.R. Classification	Classe 1 (I)
HealthCertification	No
Transparency	Blackout
Colour_fastness_to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Beige



Rullo

Suite F.R. / Ref. SU/902

CHARACTERISTICS

Width cm	300
Thickness	0,45
Weight g/m2	325
Solar_Reflection	4
Solar_Absorption	96
Light_Absorption	4
GtotInt	0,55
UV_Reduction	98
Ref.	SU/902
Composition	100% PL F.R.
F.R. Classification	Classe 1 (I)
HealthCertification	No
Transparency	Blackout
Colour_fastness_to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Beige



Rullo

Suite F.R. / Ref. SU/901

CHARACTERISTICS

Width cm	300
Thickness	0,45
Weight g/m2	325
Solar_Reflection	4
Solar_Absorption	96
Light_Absorption	4
GtotInt	0,55
UV_Reduction	98
Ref.	SU/901
Composition	100% PL F.R.
F.R. Classification	Classe 1 (I)
HealthCertification	No
Transparency	Blackout
Colour_fastness_to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black



Rullo