

## **Blackout LG F.R. / Ref.**

**LG/102**

### CHARACTERISTICS

---

<b>Width cm</b>	205
<b>Thickness</b>	0,22
<b>Weight g/m2</b>	165
<b>Solar_Reflection</b>	49
<b>Solar_Absorption</b>	51
<b>Light_Absorption</b>	68
<b>GtotInt</b>	0,43
<b>UV_Reduction</b>	100
<b>Ref.</b>	LG/102
<b>Composition</b>	50%PL FR 50%PL
<b>F.R. Classification</b>	Classe 1 (I)<A59>B1(D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Beige




Rullo

## **Blackout LG F.R. / Ref.**

**LG/101**

### CHARACTERISTICS

<b>Width cm</b>	205
<b>Thickness</b>	0,22
<b>Weight g/m2</b>	165
<b>Solar_Reflection</b>	49
<b>Solar_Absorption</b>	51
<b>Light_Absorption</b>	68
<b>GtotInt</b>	0,43
<b>UV_Reduction</b>	100
<b>Ref.</b>	LG/101
<b>Composition</b>	50%PL FR 50%PL
<b>F.R. Classification</b>	Classe 1 (I)<A59>B1(D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	White



Rullo

# **Blackout LG F.R. / Ref.**

## **LG/103**

### CHARACTERISTICS

<b>Width cm</b>	205
<b>Thickness</b>	0,22
<b>Weight g/m2</b>	165
<b>Solar_Reflection</b>	49
<b>Solar_Absorption</b>	51
<b>Light_Absorption</b>	68
<b>GtotInt</b>	0,43
<b>UV_Reduction</b>	100
<b>Ref.</b>	LG/103
<b>Composition</b>	50%PL FR 50%PL
<b>F.R. Classification</b>	Classe 1 (I)<A59>B1(D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Brown




Rullo

# **Blackout LG F.R. / Ref.**

## **LG/104**

### CHARACTERISTICS

<b>Width cm</b>	205
<b>Thickness</b>	0,22
<b>Weight g/m2</b>	165
<b>Solar_Reflection</b>	49
<b>Solar_Absorption</b>	51
<b>Light_Absorption</b>	68
<b>GtotInt</b>	0,43
<b>UV_Reduction</b>	100
<b>Ref.</b>	LG/104
<b>Composition</b>	50%PL FR 50%PL
<b>F.R. Classification</b>	Classe 1 (I)<A59>B1(D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Grey/Black



Rullo