


## Cross 1 F.R. / Ref. OS1/002

### CHARACTERISTICS

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	45
Solar_Reflection	43
Solar_Absorption	12
Light_Transmission	42
Light_Absorption	52
GtotInt	0,46
UV_Reduction	70
Ref.	OS1/002
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	4
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural



Rullo




Verticali

## Cross 1 F.R. / Ref. OS1/005

### CHARACTERISTICS

---

<b>Width cm</b>	200
<b>Thickness</b>	0,4
<b>Weight g/m2</b>	215
<b>Solar_Trasmission</b>	39
<b>Solar_Reflection</b>	38
<b>Solar_Absorption</b>	23
<b>Light_Transmission</b>	25
<b>Light_Absorption</b>	31
<b>GtotInt</b>	0,51
<b>UV_Reduction</b>	70
<b>Ref.</b>	OS1/005
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1 (I), B1 (D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Grey/Black



Rullo




Verticali



## Cross 1 F.R. / Ref. OS1/001

### CHARACTERISTICS

<b>Width cm</b>	200
<b>Thickness</b>	0,4
<b>Weight g/m2</b>	215
<b>Solar_Trasmission</b>	45
<b>Solar_Reflection</b>	43
<b>Solar_Absorption</b>	12
<b>Light_Transmission</b>	42
<b>Light_Absorption</b>	52
<b>GtotInt</b>	0,46
<b>UV_Reduction</b>	70
<b>Ref.</b>	OS1/001
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1 (I), B1 (D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	White



Rullo




Verticali

## Cross 1 F.R. / Ref. OS1/003

### CHARACTERISTICS

---

<b>Width cm</b>	200
<b>Thickness</b>	0,4
<b>Weight g/m2</b>	215
<b>Solar_Trasmission</b>	39
<b>Solar_Reflection</b>	38
<b>Solar_Absorption</b>	23
<b>Light_Transmission</b>	25
<b>Light_Absorption</b>	31
<b>GtotInt</b>	0,51
<b>UV_Reduction</b>	70
<b>Ref.</b>	OS1/003
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1 (I), B1 (D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Beige



Rullo




Verticali

## Cross 1 F.R. / Ref. OS1/004

### CHARACTERISTICS

---

<b>Width cm</b>	200
<b>Thickness</b>	0,4
<b>Weight g/m2</b>	215
<b>Solar_Trasmision</b>	39
<b>Solar_Reflection</b>	38
<b>Solar_Absorption</b>	23
<b>Light_Transmission</b>	25
<b>Light_Absorption</b>	31
<b>GtotInt</b>	0,51
<b>UV_Reduction</b>	70
<b>Ref.</b>	OS1/004
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1 (I), B1 (D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Beige



Rullo



Verticali



## Cross 1 F.R. / Ref. OS1/006

### CHARACTERISTICS

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	30
Solar_Reflection	26
Solar_Absorption	44
Light_Transmission	25
Light_Absorption	31
GtotInt	0,51
UV_Reduction	70
Ref.	OS1/006
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Blue



Rullo



Verticali




## Cross 1 F.R. / Ref. OS1/007

### CHARACTERISTICS

---

Width cm	200
Thickness	0,4
Weight g/m2	215
Solar_Trasmission	30
Solar_Reflection	26
Solar_Absorption	44
Light_Transmission	25
Light_Absorption	31
GtotInt	0,51
UV_Reduction	70
Ref.	OS1/007
Composition	100% PL
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	No
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Blue



Rullo



Verticali