

Pacific F.R. / Ref. PA/002

CHARACTERISTICS

Width cm	330
Thickness	0,5
Weight g/m2	115
Solar_Trasmission	58
Solar_Reflection	36
Solar_Absorption	6
Light_Transmission	58
Light_Absorption	37
GtotInt	0,46
UV_Reduction	57
Sound_Absorption	0,6
Ref.	PA/002
Composition	91% PL Trevira CS 9% PL
F.R. Classification	Classe 1(l)
HealthCertification	No
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural



Rullo



Pacific F.R. / Ref. PA/001

CHARACTERISTICS

Width cm	330
Thickness	0,5
Weight g/m2	115
Solar_Trasmission	58
Solar_Reflection	36
Solar_Absorption	6
Light_Transmission	58
Light_Absorption	37
GtotInt	0,46
UV_Reduction	57
Sound_Absorption	0,6
Ref.	PA/001
Composition	91% PL Trevira CS 9% PL
F.R. Classification	Classe 1(l)
HealthCertification	No
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	White



Rullo

Pacific F.R. / Ref. PA/003

CHARACTERISTICS

Width cm	330
Thickness	0,5
Weight g/m2	115
Solar_Trasmission	58
Solar_Reflection	36
Solar_Absorption	6
Light_Transmission	58
Light_Absorption	37
GtotInt	0,46
UV_Reduction	57
Sound_Absorption	0,6
Ref.	PA/003
Composition	91% PL Trevira CS 9% PL
F.R. Classification	Classe 1(l)
HealthCertification	No
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Beige



Rullo

Pacific F.R. / Ref. PA/004

CHARACTERISTICS

Width cm	330
Thickness	0,5
Weight g/m2	115
Solar_Trasmission	58
Solar_Reflection	36
Solar_Absorption	6
Light_Transmission	58
Light_Absorption	37
GtotInt	0,46
UV_Reduction	57
Sound_Absorption	0,6
Ref.	PA/004
Composition	91% PL Trevira CS 9% PL
F.R. Classification	Classe 1(l)
HealthCertification	No
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	4/5
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo