


## Screen G3 - 5% F.R. / Ref. G35/10-320



### CHARACTERISTICS

<b>Width cm</b>	320
<b>Thickness</b>	0,42
<b>Weight g/m2</b>	375
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	24
<b>Solar_Reflection</b>	65
<b>Solar_Absorption</b>	11
<b>Light_Transmission</b>	23
<b>GtotInt</b>	0,3
<b>UV_Reduction</b>	94
<b>Ref.</b>	G35/10-320
<b>Composition</b>	36%FV 64%PVC
<b>F.R. Classification</b>	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
<b>HealthCertification</b>	ANTIBACTERIAL, GREENGUARD GOLD, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7/8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	IMO
<b>Tone</b>	White
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	130



Rullo




Lucernari



Garden

# Screen G3 - 5% F.R. / Ref.

## G35/23-320



### CHARACTERISTICS

<b>Width cm</b>	320
<b>Thickness</b>	0,42
<b>Weight g/m2</b>	375
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	7
<b>Solar_Reflection</b>	10
<b>Solar_Absorption</b>	83
<b>Light_Transmission</b>	7
<b>GtotInt</b>	0,55
<b>UV_Reduction</b>	94
<b>Ref.</b>	G35/23-320
<b>Composition</b>	36%FV 64%PVC
<b>F.R. Classification</b>	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
<b>HealthCertification</b>	ANTIBACTERIAL, GREENGUARD GOLD, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7/8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	IMO
<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	130



Rullo




Lucernari



Garden

# Screen G3 - 5% F.R. / Ref.

## G35/12-320



### CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmission	20
Solar_Reflection	39
Solar_Absorption	41
Light_Transmission	17
GtotInt	0,42
UV_Reduction	94
Ref.	G35/12-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	130
Weft_daN5cm	130



Rullo




Lucernari



Garden

# Screen G3 - 5% F.R. / Ref.

G35/11-320



## CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmision	20
Solar_Reflection	50
Solar_Absorption	30
Light_Transmission	18
GtotInt	0,38
UV_Reduction	94
Ref.	G35/11-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	130



Rullo




Lucernari



Garden

# Screen G3 - 5% F.R. / Ref.

## G35/18-320




### CHARACTERISTICS

Width cm	320
Thickness	0,42
Weight g/m2	375
Openess_Factor	5
Solar_Trasmission	23
Solar_Reflection	58
Solar_Absorption	19
Light_Transmission	21
GtotInt	0,34
UV_Reduction	94
Ref.	G35/18-320
Composition	36%FV 64%PVC
F.R. Classification	Euroclass C-s3-d0(EU), Classe 1 (I), M1(F),B1(D)BS(GB),NFPA 701 (US), IMO
HealthCertification	ANTIBACTERIAL, GREENGUARD GOLD, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	130
Weft_daN5cm	130



Rullo



Lucernari



Garden