

# Screen P410 F.R. / Ref.

P/4101-300



## CHARACTERISTICS

<b>Width cm</b>	300
<b>Thickness</b>	0,54
<b>Weight g/m2</b>	370
<b>Openess_Factor</b>	10
<b>Solar_Trasmission</b>	29
<b>Solar_Reflection</b>	68
<b>Solar_Absorption</b>	8
<b>Light_Transmission</b>	29
<b>Light_Absorption</b>	70
<b>GtotInt</b>	0,37
<b>UV_Reduction</b>	92
<b>Ref.</b>	P/4101-300
<b>Composition</b>	30%PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	IMO
<b>Tone</b>	White
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	120



Rullo




Panels

# Screen P410 F.R. / Ref.

P/4103-300

## CHARACTERISTICS

Width cm	300
Thickness	0,54
Weight g/m2	370
Openess_Factor	10
Solar_Trasmision	25
Solar_Reflection	53
Solar_Absorption	22
Light_Transmission	23
Light_Absorption	58
GtotInt	0,4
UV_Reduction	92
Ref.	P/4103-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120



Rullo




Panels

# Screen P410 F.R. / Ref.

P/4102-300

## CHARACTERISTICS

<b>Width cm</b>	300
<b>Thickness</b>	0,54
<b>Weight g/m2</b>	370
<b>Openess_Factor</b>	10
<b>Solar_Trasmission</b>	29
<b>Solar_Reflection</b>	58
<b>Solar_Absorption</b>	13
<b>Light_Transmission</b>	26
<b>Light_Absorption</b>	64
<b>GtotInt</b>	0,39
<b>UV_Reduction</b>	92
<b>Ref.</b>	P/4102-300
<b>Composition</b>	30%PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	IMO
<b>Tone</b>	Beige
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	120



Rullo



Panels