




Astra F.R. Plisse / Ref.

TP/AST/04

CHARACTERISTICS

| | |
|--------------------------|---|
| Width cm | 230 |
| Thickness | 0,35 |
| Weight g/m2 | 200 |
| Solar_Trasmission | 28 |
| Solar_Reflection | 37 |
| Solar_Absorption | 35 |
| Light_Transmission | 17 |
| Light_Absorption | 39 |
| GtotInt | 0,45 |
| UV_Reduction | 83 |
| Ref. | TP/AST/04 |
| Composition | 100% PL Trevira CS |
| F.R. Classification | Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU) |
| HealthCertification | OEKO-TEX |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 6 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Brown |



Plissè




Astra F.R. Plisse / Ref.

TP/AST/07

CHARACTERISTICS

| | |
|--------------------------|---|
| Width cm | 230 |
| Thickness | 0,35 |
| Weight g/m2 | 200 |
| Solar_Trasmision | 12 |
| Solar_Reflection | 13 |
| Solar_Absorption | 75 |
| Light_Transmission | 13 |
| Light_Absorption | 16 |
| GtotInt | 0,45 |
| UV_Reduction | 81 |
| Ref. | TP/AST/07 |
| Composition | 100% PL Trevira CS |
| F.R. Classification | Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU) |
| HealthCertification | OEKO-TEX |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 6 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Grey/Black |



Plissé



Astra F.R. Plisse / Ref.

TP/AST/02

CHARACTERISTICS

| | |
|--------------------------|---|
| Width cm | 230 |
| Thickness | 0,35 |
| Weight g/m2 | 200 |
| Solar_Trasmision | 32 |
| Solar_Reflection | 48 |
| Solar_Absorption | 20 |
| Light_Transmission | 42 |
| Light_Absorption | 55 |
| GtotInt | 0,45 |
| UV_Reduction | 89 |
| Ref. | TP/AST/02 |
| Composition | 100% PL Trevira CS |
| F.R. Classification | Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU) |
| HealthCertification | OEKO-TEX |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 6 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Natural |



Plissé




Astra F.R. Plisse / Ref.

TP/AST/06

CHARACTERISTICS

| | |
|--------------------------|---|
| Width cm | 230 |
| Thickness | 0,35 |
| Weight g/m2 | 200 |
| Solar_Trasmision | 32 |
| Solar_Reflection | 42 |
| Solar_Absorption | 26 |
| Light_Transmission | 20 |
| Light_Absorption | 30 |
| GtotInt | 0,48 |
| UV_Reduction | 86 |
| Ref. | TP/AST/06 |
| Composition | 100% PL Trevira CS |
| F.R. Classification | Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU) |
| HealthCertification | OEKO-TEX |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 6 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Grey/Black |



Plissé




Astra F.R. Plisse / Ref.

TP/AST/05

CHARACTERISTICS

| | |
|--------------------------|---|
| Width cm | 230 |
| Thickness | 0,35 |
| Weight g/m2 | 200 |
| Solar_Trasmision | 36 |
| Solar_Reflection | 49 |
| Solar_Absorption | 15 |
| Light_Transmission | 31 |
| Light_Absorption | 46 |
| GtotInt | 0,46 |
| UV_Reduction | 85 |
| Ref. | TP/AST/05 |
| Composition | 100% PL Trevira CS |
| F.R. Classification | Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU) |
| HealthCertification | OEKO-TEX |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 6 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Grey/Black |



Plissé




Astra F.R. Plisse / Ref.

TP/AST/03

CHARACTERISTICS

| | |
|--------------------------|---|
| Width cm | 230 |
| Thickness | 0,35 |
| Weight g/m2 | 200 |
| Solar_Trasmision | 40 |
| Solar_Reflection | 47 |
| Solar_Absorption | 13 |
| Light_Transmission | 37 |
| Light_Absorption | 46 |
| GtotInt | 0,47 |
| UV_Reduction | 83 |
| Ref. | TP/AST/03 |
| Composition | 100% PL Trevira CS |
| F.R. Classification | Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU) |
| HealthCertification | OEKO-TEX |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 6 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Beige |



Plissé



Astra F.R. Plisse / Ref.

TP/AST/01

CHARACTERISTICS

| | |
|--------------------------|---|
| Width cm | 230 |
| Thickness | 0,35 |
| Weight g/m2 | 200 |
| Solar_Trasmision | 43 |
| Solar_Reflection | 50 |
| Solar_Absorption | 7 |
| Light_Transmission | 45 |
| Light_Absorption | 54 |
| GtotInt | 0,45 |
| UV_Reduction | 90 |
| Ref. | TP/AST/01 |
| Composition | 100% PL Trevira CS |
| F.R. Classification | Classe1 (I), M1(F), B1(D), BS (GB), EN 13772 Class1(EU) |
| HealthCertification | OEKO-TEX |
| Transparency | Low Transparent |
| Colour_fastness_to_light | 6 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | White |



Plissé