


Etnoscreen 1 F.R. / Ref.

ES/111

CHARACTERISTICS

Width cm	250
Thickness	0,5
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	10
Solar_Reflection	28
Solar_Absorption	62
Light_Transmission	7
Light_Absorption	29
GtotInt	0,48
UV_Reduction	95
Ref.	ES/111
Composition	36% FV 64% PVC
F.R. Classification	Classe 1 (I), M2 (F), NFPA 701 (US), BS (GB)
HealthCertification	ANTIBACTERIAL, GREENGUARD
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	No
IMO	IMO
Tone	Beige
Warp_daN5cm	170
Weft_daN5cm	170





Rullo



Panels



Lucernari



Garden



Etnoscreen 1 F.R. / Ref.

ES/113

CHARACTERISTICS

Width cm	250
Thickness	0,5
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	6
Solar_Reflection	15
Solar_Absorption	79
Light_Transmission	6
Light_Absorption	14
GtotInt	0,52
UV_Reduction	95
Ref.	ES/113
Composition	36% FV 64% PVC
F.R. Classification	Classe 1 (I), M2 (F), NFPA 701 (US), BS (GB)
HealthCertification	ANTIBACTERIAL, GREENGUARD
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	No

IMO	IMO
Tone	Brown
Warp_daN5cm	170
Weft_daN5cm	170



Rullo



Panels



Lucernari



Garden




Etnoscreen 1 F.R. / Ref.

ES/112

CHARACTERISTICS

Width cm	250
Thickness	0,5
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	8
Solar_Reflection	17
Solar_Absorption	75
Light_Transmission	6
Light_Absorption	16
Gtotlnt	0,51
UV_Reduction	95
Ref.	ES/112
Composition	36% FV 64% PVC
F.R. Classification	Classe 1 (I), M2 (F), NFPA 701 (US), BS (GB)
HealthCertification	ANTIBACTERIAL, GREENGUARD
Transparency	Low Transparent


Colour_fastness_to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	No
IMO	IMO
Tone	Brown
Warp_daN5cm	170
Weft_daN5cm	170



Rullo



Panels



Lucernari



Garden

Etnoscreen 1 F.R. / Ref.

ES/110

CHARACTERISTICS

Width cm	250
Thickness	0,5
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	17
Solar_Reflection	51
Solar_Absorption	32
Light_Transmission	12
Light_Absorption	53
GtotInt	0,4
UV_Reduction	95
Ref.	ES/110
Composition	36% FV 64% PVC
F.R. Classification	Classe 1 (I), M2 (F), NFPA 701 (US), BS (GB)
HealthCertification	ANTIBACTERIAL, GREENGUARD
Transparency	Low Transparent

Colour_fastness_ to_light	7/8
Outdoor	No
Sealable	Heat
adjustable	Yes
jointed	No
IMO	IMO
Tone	Beige
Warp_daN5cm	170
Weft_daN5cm	170



Rullo



Panels



Lucernari



Garden