


## Screen P45 F.R. / Art. P/457-300



### CARACTERISTICAS

<b>Width cm</b>	300
<b>Thickness</b>	0,55
<b>Weight g/m2</b>	400
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	4
<b>Solar_Reflection</b>	3
<b>Solar_Absorption</b>	93
<b>Light_Transmission</b>	6
<b>Light_Absorption</b>	6
<b>GtotInt</b>	0,61
<b>UV_Reduction</b>	93
<b>Ref.</b>	P/457-300
<b>Composition</b>	30% PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7/8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	120



Rullo



Verticali



Panels



Lucernari




Garden



## Screen P45 F.R. / Art. P/456-300

### CARACTERISTICAS

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	5
Solar_Absorption	91
Light_Transmission	6
Light_Absorption	6
GtotInt	0,6
UV_Reduction	93
Ref.	P/456-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120





Rullo



Verticali



Panels



Lucernari



Garden



## Screen P45 F.R. / Art. P/455-300

### CARACTERISTICAS

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	4
Solar_Absorption	92
Light_Transmission	5
Light_Absorption	6
GtotInt	0,6
UV_Reduction	93
Ref.	P/455-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown
Warp_daN5cm	130



Rullo



Verticali




Panels



Lucernari



Garden



## Screen P45 F.R. / Art. P/454-300

### CARACTERISTICAS

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	16
Solar_Reflection	40
Solar_Absorption	44
Light_Transmission	14
Light_Absorption	18
GtotInt	0,48
UV_Reduction	93
Ref.	P/454-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black

Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali




Panels



Lucernari



Garden



## Screen P45 F.R. / Art. P/453-300

### CARACTERISTICAS

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	16
Solar_Reflection	43
Solar_Absorption	41
Light_Transmission	15
Light_Absorption	18
GtotInt	0,42
UV_Reduction	93
Ref.	P/453-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No

<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	120



Rullo



Verticali




Panels



Lucernari



Garden



## Screen P45 F.R. / Art. P/452-300

### CARACTERISTICAS

<b>Width cm</b>	300
<b>Thickness</b>	0,55
<b>Weight g/m2</b>	400
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	23
<b>Solar_Reflection</b>	54
<b>Solar_Absorption</b>	23
<b>Light_Transmission</b>	20
<b>Light_Absorption</b>	25
<b>GtotInt</b>	0,37
<b>UV_Reduction</b>	93
<b>Ref.</b>	P/452-300
<b>Composition</b>	30% PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7/8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si

<b>IMO</b>	No
<b>Tone</b>	Beige
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	120




Rullo



Verticali




Panels



Lucernari



Garden



## **Screen P45 F.R. / Art. P/451-300**

### CARACTERISTICAS

<b>Width cm</b>	300
<b>Thickness</b>	0,55
<b>Weight g/m2</b>	400
<b>Openess_Factor</b>	5
<b>Solar_Trasmission</b>	22
<b>Solar_Reflection</b>	67
<b>Solar_Absorption</b>	11
<b>Light_Transmission</b>	19
<b>Light_Absorption</b>	24
<b>GtotInt</b>	0,3
<b>UV_Reduction</b>	93
<b>Ref.</b>	P/451-300
<b>Composition</b>	30% PL 70% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7/8
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes

jointed	Si
IMO	No
Tone	White
Warp_daN5cm	130
Weft_daN5cm	120




Rullo



Verticali



Panels



Lucernari




Garden



## Screen P45 F.R. / Art. P/450-300

### CARACTERISTICAS

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	22
Solar_Reflection	67
Solar_Absorption	11
Light_Transmission	19
Light_Absorption	24
GtotInt	0,3
UV_Reduction	93
Ref.	P/450-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8





<b>Outdoor</b>	Outdoor
<b>Sealable</b>	Heat
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	White
<b>Warp_daN5cm</b>	130
<b>Weft_daN5cm</b>	120




Rullo



Verticali



Panels



Lucernari



Garden