

## Movie R3 / Art. R3/338

### CARACTÉRISTIQUES

Width cm	182
Thickness	0,08
Weight g/m2	106
Solar_Trasmission	16
Solar_Reflection	22
Solar_Absorption	62
Light_Transmission	7
Light_Absorption	26
GtotInt	0,52
UV_Reduction	100
Ref.	R3/338
Composition	100% PET
HealthCertification	No
Transparency	Transparent
Outdoor	No
Sealable	Cold, with double-adhesive tape
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black




Rullo

## Movie R3 / Art. R3/339

### CARACTÉRISTIQUES

---

<b>Width cm</b>	182
<b>Thickness</b>	0,08
<b>Weight g/m2</b>	106
<b>Solar_Trasmission</b>	17
<b>Solar_Reflection</b>	23
<b>Solar_Absorption</b>	60
<b>Light_Transmission</b>	10
<b>Light_Absorption</b>	27
<b>GtotInt</b>	0,52
<b>UV_Reduction</b>	100
<b>Ref.</b>	R3/339
<b>Composition</b>	100% PET
<b>HealthCertification</b>	No
<b>Transparency</b>	Transparent
<b>Outdoor</b>	No
<b>Sealable</b>	Cold, with double-adhesive tape
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	Brown




Rullo

## Movie R3 / Art. R3/330

### CARACTÉRISTIQUES

---

<b>Width cm</b>	182
<b>Thickness</b>	0,08
<b>Weight g/m2</b>	106
<b>Solar_Trasmission</b>	36
<b>Solar_Reflection</b>	19
<b>Solar_Absorption</b>	45
<b>Light_Transmission</b>	43
<b>Light_Absorption</b>	22
<b>GtotInt</b>	0,6
<b>UV_Reduction</b>	100
<b>Ref.</b>	R3/330
<b>Composition</b>	100% PET
<b>HealthCertification</b>	No
<b>Transparency</b>	Transparent
<b>Outdoor</b>	No
<b>Sealable</b>	Cold, whith double-adhesive tape
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	Grey/Black



Rullo