

## Rigo cm 7,5/5,0 / Art. RI/702

### CARACTÉRISTIQUES

Width cm	280
Thickness	0,26
Weight g/m2	96
Solar_Trasmission	38
Solar_Reflection	55
Solar_Absorption	7
Light_Transmission	37
Light_Absorption	58
GtotInt	0,46
UV_Reduction	99
Ref.	RI/702
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural




Rullo



## Rigo cm 7,5/5,0 / Art. RI/703

### CARACTÉRISTIQUES

Width cm	280
Thickness	0,26
Weight g/m2	96
Solar_Trasmission	29
Solar_Reflection	49
Solar_Absorption	22
Light_Transmission	20
Light_Absorption	43
GtotInt	0,47
UV_Reduction	99
Ref.	RI/703
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Beige



Rullo



## Rigo cm 7,5/5,0 / Art. RI/701

### CARACTÉRISTIQUES

Width cm	280
Thickness	0,26
Weight g/m2	96
Solar_Trasmission	37
Solar_Reflection	57
Solar_Absorption	6
Light_Transmission	36
Light_Absorption	60
GtotInt	0,46
UV_Reduction	99
Ref.	RI/701
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	White




Rullo



## Rigo cm 7,5/5,0 / Art. RI/704

### CARACTÉRISTIQUES

Width cm	280
Thickness	0,26
Weight g/m2	96
Solar_Trasmission	33
Solar_Reflection	48
Solar_Absorption	19
Light_Transmission	23
Light_Absorption	42
GtotInt	0,48
UV_Reduction	99
Ref.	RI/704
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo