

## ***Pacific F.R. / Art. PA/002***

### CARACTÉRISTIQUES

|                                      |                                  |
|--------------------------------------|----------------------------------|
| <b>Width cm</b>                      | 330                              |
| <b>Thickness</b>                     | 0,5                              |
| <b>Weight g/m2</b>                   | 115                              |
| <b>Solar_Trasmission</b>             | 58                               |
| <b>Solar_Reflection</b>              | 36                               |
| <b>Solar_Absorption</b>              | 6                                |
| <b>Light_Transmission</b>            | 58                               |
| <b>Light_Absorption</b>              | 37                               |
| <b>GtotInt</b>                       | 0,46                             |
| <b>UV_Reduction</b>                  | 57                               |
| <b>Sound_Absorption</b>              | 0,6                              |
| <b>Ref.</b>                          | PA/002                           |
| <b>Composition</b>                   | 91% PL Trevira CS 9% PL          |
| <b>F.R. Classification</b>           | Classe 1(l)                      |
| <b>HealthCertification</b>           | No                               |
| <b>Transparency</b>                  | Low Transparent /<br>Transparent |
| <b>Colour_fastness_<br/>to_light</b> | 4/5                              |
| <b>Outdoor</b>                       | No                               |
| <b>Sealable</b>                      | No                               |
| <b>adjustable</b>                    | No                               |
| <b>jointed</b>                       | No                               |
| <b>IMO</b>                           | IMO                              |
| <b>Tone</b>                          | Natural                          |



Rullo



## **Pacific F.R. / Art. PA/001**

### CARACTÉRISTIQUES

|                                      |                                  |
|--------------------------------------|----------------------------------|
| <b>Width cm</b>                      | 330                              |
| <b>Thickness</b>                     | 0,5                              |
| <b>Weight g/m2</b>                   | 115                              |
| <b>Solar_Trasmission</b>             | 58                               |
| <b>Solar_Reflection</b>              | 36                               |
| <b>Solar_Absorption</b>              | 6                                |
| <b>Light_Transmission</b>            | 58                               |
| <b>Light_Absorption</b>              | 37                               |
| <b>GtotInt</b>                       | 0,46                             |
| <b>UV_Reduction</b>                  | 57                               |
| <b>Sound_Absorption</b>              | 0,6                              |
| <b>Ref.</b>                          | PA/001                           |
| <b>Composition</b>                   | 91% PL Trevira CS 9% PL          |
| <b>F.R. Classification</b>           | Classe 1(l)                      |
| <b>HealthCertification</b>           | No                               |
| <b>Transparency</b>                  | Low Transparent /<br>Transparent |
| <b>Colour_fastness_<br/>to_light</b> | 4/5                              |
| <b>Outdoor</b>                       | No                               |
| <b>Sealable</b>                      | No                               |
| <b>adjustable</b>                    | No                               |
| <b>jointed</b>                       | No                               |
| <b>IMO</b>                           | IMO                              |
| <b>Tone</b>                          | White                            |



Rullo

## ***Pacific F.R. / Art. PA/003***

### CARACTÉRISTIQUES

---

|                                      |                                  |
|--------------------------------------|----------------------------------|
| <b>Width cm</b>                      | 330                              |
| <b>Thickness</b>                     | 0,5                              |
| <b>Weight g/m2</b>                   | 115                              |
| <b>Solar_Trasmission</b>             | 58                               |
| <b>Solar_Reflection</b>              | 36                               |
| <b>Solar_Absorption</b>              | 6                                |
| <b>Light_Transmission</b>            | 58                               |
| <b>Light_Absorption</b>              | 37                               |
| <b>GtotInt</b>                       | 0,46                             |
| <b>UV_Reduction</b>                  | 57                               |
| <b>Sound_Absorption</b>              | 0,6                              |
| <b>Ref.</b>                          | PA/003                           |
| <b>Composition</b>                   | 91% PL Trevira CS 9% PL          |
| <b>F.R. Classification</b>           | Classe 1(l)                      |
| <b>HealthCertification</b>           | No                               |
| <b>Transparency</b>                  | Low Transparent /<br>Transparent |
| <b>Colour_fastness_<br/>to_light</b> | 4/5                              |
| <b>Outdoor</b>                       | No                               |
| <b>Sealable</b>                      | No                               |
| <b>adjustable</b>                    | No                               |
| <b>jointed</b>                       | No                               |
| <b>IMO</b>                           | IMO                              |
| <b>Tone</b>                          | Beige                            |



Rullo

## Pacific F.R. / Art. PA/004

### CARACTÉRISTIQUES

|                              |                                  |
|------------------------------|----------------------------------|
| Width cm                     | 330                              |
| Thickness                    | 0,5                              |
| Weight g/m2                  | 115                              |
| Solar_Trasmission            | 58                               |
| Solar_Reflection             | 36                               |
| Solar_Absorption             | 6                                |
| Light_Transmission           | 58                               |
| Light_Absorption             | 37                               |
| GtotInt                      | 0,46                             |
| UV_Reduction                 | 57                               |
| Sound_Absorption             | 0,6                              |
| Ref.                         | PA/004                           |
| Composition                  | 91% PL Trevira CS 9% PL          |
| F.R. Classification          | Classe 1(l)                      |
| HealthCertification          | No                               |
| Transparency                 | Low Transparent /<br>Transparent |
| Colour_fastness_<br>to_light | 4/5                              |
| Outdoor                      | No                               |
| Sealable                     | No                               |
| adjustable                   | No                               |
| jointed                      | No                               |
| IMO                          | IMO                              |
| Tone                         | Grey/Black                       |



Rullo