



## Silver F.R. Plisse / Art.

TP/3765/07

### CARACTÉRISTIQUES

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmission	3
Solar_Reflection	60
Solar_Absorption	37
Light_Transmission	2
Light_Absorption	63
GtotInt	0,37
UV_Reduction	99
Ref.	TP/3765/07
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissé



# Silver F.R. Plisse / Art.

TP/3765/06

## CARACTÉRISTIQUES

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmission	4
Solar_Reflection	59
Solar_Absorption	37
Light_Transmission	3
Light_Absorption	62
GtotInt	0,38
UV_Reduction	99
Ref.	TP/3765/06
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissé




## Silver F.R. Plisse / Art.

TP/3765/05

### CARACTÉRISTIQUES

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmission	9
Solar_Reflection	61
Solar_Absorption	30
Light_Transmission	8
Light_Absorption	64
GtotInt	0,37
UV_Reduction	99
Ref.	TP/3765/05
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissé




## Silver F.R. Plisse / Art.

TP/3765/04

### CARACTÉRISTIQUES

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmision	9
Solar_Reflection	60
Solar_Absorption	31
Light_Transmission	5
Light_Absorption	63
Gtotlnt	0,37
UV_Reduction	99
Ref.	TP/3765/04
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige



Plissé


## Silver F.R. Plisse / Art.

TP/3765/03

### CARACTÉRISTIQUES

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmission	10
Solar_Reflection	61
Solar_Absorption	29
Light_Transmission	8
Light_Absorption	64
GtotInt	0,37
UV_Reduction	99
Ref.	TP/3765/03
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige



Plissé


# Silver F.R. Plisse / Art.

TP/3765/02

## CARACTÉRISTIQUES

---

Width cm	230
Thickness	0,13
Weight g/m2	90
Solar_Trasmission	30
Solar_Reflection	50
Solar_Absorption	20
Light_Transmission	24
Light_Absorption	50
GtotInt	0,46
UV_Reduction	96
Ref.	TP/3765/02
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural



Plissé



# Silver F.R. Plisse / Art.

TP/3765/01

## CARACTÉRISTIQUES

---

Width cm	230
Thickness	0,13
Weight g/m2	90
Solar_Trasmission	46
Solar_Reflection	53
Solar_Absorption	1
Light_Transmission	46
Light_Absorption	54
GtotInt	0,41
UV_Reduction	88
Ref.	TP/3765/01
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	OEKO-TEX
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	White



Plissé