

Blackout RB F.R. / Art.

RB/648

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 28 |
| Solar_Absorption | 72 |
| Light_Absorption | 30 |
| GtotInt | 0,45 |
| UV_Reduction | 100 |
| Ref. | RB/648 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Grey/Black |



Rullo



Lucernari

Blackout RB F.R. / Art.

RB/647

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 32 |
| Solar_Absorption | 68 |
| Light_Absorption | 33 |
| GtotInt | 0,44 |
| UV_Reduction | 100 |
| Ref. | RB/647 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Grey/Black |



Rullo




Lucernari

Blackout RB F.R. / Art.

RB/646

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 40 |
| Solar_Absorption | 60 |
| Light_Absorption | 45 |
| GtotInt | 0,42 |
| UV_Reduction | 100 |
| Ref. | RB/646 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Grey/Black |



Rullo




Lucernari

Blackout RB F.R. / Art.

RB/645

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 46 |
| Solar_Absorption | 54 |
| Light_Absorption | 51 |
| GtotInt | 0,4 |
| UV_Reduction | 100 |
| Ref. | RB/645 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Brown |



Rullo




Lucernari

Blackout RB F.R. / Art.

RB/644

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 50 |
| Solar_Absorption | 50 |
| Light_Absorption | 56 |
| GtotInt | 0,38 |
| UV_Reduction | 100 |
| Ref. | RB/644 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Beige |



Rullo




Lucernari

Blackout RB F.R. / Art.

RB/643

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 56 |
| Solar_Absorption | 44 |
| Light_Absorption | 61 |
| GtotInt | 0,36 |
| UV_Reduction | 100 |
| Ref. | RB/643 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Natural |



Rullo



Lucernari




Blackout RB F.R. / Art.

RB/642

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 64 |
| Solar_Absorption | 36 |
| Light_Absorption | 70 |
| GtotInt | 0,32 |
| UV_Reduction | 100 |
| Ref. | RB/642 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | Natural |



Rullo



Lucernari



Blackout RB F.R. / Art. RB/641

KENMERKEN

| | |
|---------------------------------|-------------------------------------|
| Width cm | 300 |
| Thickness | 0,52 |
| Weight g/m2 | 440 |
| Solar_Reflection | 77 |
| Solar_Absorption | 23 |
| Light_Absorption | 87 |
| GtotInt | 0,28 |
| UV_Reduction | 100 |
| Ref. | RB/641 |
| Composition | 42% PL 58% RA |
| F.R. Classification | Classe 1 (I), BS (GB), NFPA 701(US) |
| HealthCertification | GREENGUARD, OEKO-TEX |
| Transparency | Blackout |
| Colour_fastness_to_light | 5 |
| Outdoor | No |
| Sealable | No |
| adjustable | Yes |
| jointed | Si |
| IMO | No |
| Tone | White |



Rullo



Lucernari