



Screen P71 F.R. / Art. P/712-300

KENMERKEN

Width cm	300
Thickness	0,72
Weight g/m2	615
Openess_Factorv	1
Solar_Trasmission	17
Solar_Reflection	66
Solar_Absorption	17
Light_Transmission	13
Light_Absorption	75
GtotInt	0,33
UV_Reduction	97
Ref.	P/712-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	300
Weft_daN5cm	250



Rullo




Lucernari



Garden

Screen P71 F.R. / Art. P/711-300




KENMERKEN

Width cm	300
Thickness	0,72
Weight g/m2	615
Openess_Factorv	1
Solar_Trasmision	16
Solar_Reflection	75
Solar_Absorption	9
Light_Transmission	13
Light_Absorption	83
GtotInt	0,31
UV_Reduction	98
Ref.	P/711-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	300
Weft_daN5cm	250



Rullo



Lucernari



Garden

Screen P71 F.R. / Art. P/713-300

KENMERKEN

Width cm	300
Thickness	0,72
Weight g/m2	615
Openess_Factorv	1
Solar_Trasmision	15
Solar_Reflection	60
Solar_Absorption	25
Light_Transmission	10
Light_Absorption	69
GtotInt	0,54
UV_Reduction	98
Ref.	P/713-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	300
Weft_daN5cm	250



Rullo



Lucernari



Garden

Screen P71 F.R. / Art. P/717-300

KENMERKEN

Width cm	300
Thickness	0,72
Weight g/m2	615
Openess_Factorv	1
Solar_Trasmision	1
Solar_Reflection	4
Solar_Absorption	95
Light_Transmission	2
Light_Absorption	5
GtotInt	0,49
UV_Reduction	98
Ref.	P/717-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	300
Weft_daN5cm	250



Rullo



Lucernari



Garden


Screen P71 F.R. / Art. P/716-300

KENMERKEN

Width cm	300
Thickness	0,72
Weight g/m2	615
Openess_Factorv	1
Solar_Trasmision	2
Solar_Reflection	8
Solar_Absorption	90
Light_Transmission	2
Light_Absorption	8
GtotInt	0,49
UV_Reduction	98
Ref.	P/716-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Dimout
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	300
Weft_daN5cm	250



Rullo



Lucernari



Garden