


## Screen P6 F.R. / Art. P/606-300

### KENMERKEN

<b>Width cm</b>	300
<b>Thickness</b>	0,43
<b>Weight g/m2</b>	325
<b>Openess_Factorv</b>	2
<b>Solar_Trasmission</b>	14
<b>Solar_Reflection</b>	50
<b>Solar_Absorption</b>	36
<b>Light_Transmission</b>	13
<b>Light_Absorption</b>	52
<b>GtotInt</b>	0,6
<b>UV_Reduction</b>	95
<b>Ref.</b>	P/606-300
<b>Composition</b>	25% PL 75% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	135
<b>Weft_daN5cm</b>	110



Rullo




Panels

## Screen P6 F.R. / Art. P/600-300

### KENMERKEN

<b>Width cm</b>	300
<b>Thickness</b>	0,43
<b>Weight g/m2</b>	325
<b>Openess_Factorv</b>	2
<b>Solar_Trasmission</b>	15
<b>Solar_Reflection</b>	52
<b>Solar_Absorption</b>	33
<b>Light_Transmission</b>	14
<b>Light_Absorption</b>	54
<b>GtotInt</b>	0,42
<b>UV_Reduction</b>	96
<b>Ref.</b>	P/600-300
<b>Composition</b>	25% PL 75% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	White
<b>Warp_daN5cm</b>	135
<b>Weft_daN5cm</b>	110



Rullo




Panels

## Screen P6 F.R. / Art. P/602-300

### KENMERKEN

<b>Width cm</b>	300
<b>Thickness</b>	0,43
<b>Weight g/m2</b>	325
<b>Openess_Factorv</b>	2
<b>Solar_Trasmision</b>	14
<b>Solar_Reflection</b>	49
<b>Solar_Absorption</b>	37
<b>Light_Transmission</b>	13
<b>Light_Absorption</b>	51
<b>GtotInt</b>	0,48
<b>UV_Reduction</b>	95
<b>Ref.</b>	P/602-300
<b>Composition</b>	25% PL 75% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	Beige
<b>Warp_daN5cm</b>	135
<b>Weft_daN5cm</b>	110



Rullo




Panels

## Screen P6 F.R. / Art. P/601-300

### KENMERKEN

<b>Width cm</b>	300
<b>Thickness</b>	0,43
<b>Weight g/m2</b>	325
<b>Openess_Factorv</b>	2
<b>Solar_Trasmision</b>	15
<b>Solar_Reflection</b>	52
<b>Solar_Absorption</b>	33
<b>Light_Transmission</b>	14
<b>Light_Absorption</b>	54
<b>GtotInt</b>	0,42
<b>UV_Reduction</b>	96
<b>Ref.</b>	P/601-300
<b>Composition</b>	25% PL 75% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	White
<b>Warp_daN5cm</b>	135
<b>Weft_daN5cm</b>	110



Rullo




Panels

## Screen P6 F.R. / Art. P/608-300

### KENMERKEN

<b>Width cm</b>	300
<b>Thickness</b>	0,43
<b>Weight g/m2</b>	325
<b>Openess_Factorv</b>	2
<b>Solar_Trasmission</b>	11
<b>Solar_Reflection</b>	42
<b>Solar_Absorption</b>	47
<b>Light_Transmission</b>	10
<b>Light_Absorption</b>	44
<b>GtotInt</b>	0,52
<b>UV_Reduction</b>	95
<b>Ref.</b>	P/608-300
<b>Composition</b>	25% PL 75% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	135
<b>Weft_daN5cm</b>	110



Rullo




Panels

## Screen P6 F.R. / Art. P/607-300

### KENMERKEN

<b>Width cm</b>	300
<b>Thickness</b>	0,43
<b>Weight g/m2</b>	325
<b>Openess_Factorv</b>	2
<b>Solar_Trasmission</b>	15
<b>Solar_Reflection</b>	53
<b>Solar_Absorption</b>	32
<b>Light_Transmission</b>	14
<b>Light_Absorption</b>	55
<b>GtotInt</b>	0,7
<b>UV_Reduction</b>	94
<b>Ref.</b>	P/607-300
<b>Composition</b>	25% PL 75% PVC
<b>F.R. Classification</b>	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
<b>HealthCertification</b>	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	8
<b>Outdoor</b>	No
<b>Sealable</b>	Heat
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	Grey/Black
<b>Warp_daN5cm</b>	135
<b>Weft_daN5cm</b>	110



Rullo



Panels