


## Silente F.R. / Ref. SE/772

### RECURSOS

Width cm	300
Thickness	0,33
Weight g/m2	126
Solar_Trasmission	58
Solar_Reflection	39
Solar_Absorption	3
Light_Transmission	56
Light_Absorption	42
GtotInt	0,5
UV_Reduction	65
Sound_Absorption	0,55
Ref.	SE/772
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Transparent
Colour_fastness_to_light	4
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Natural



Rullo




## Silente F.R. / Ref. SE/775

### RECURSOS

---

Width cm	300
Thickness	0,33
Weight g/m2	126
Solar_Trasmision	55
Solar_Reflection	33
Solar_Absorption	12
Light_Transmission	53
Light_Absorption	38
GtotInt	0,48
UV_Reduction	65
Sound_Absorption	0,55
Ref.	SE/775
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Transparent
Colour_fastness_to_light	4
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black




Rullo

## Silente F.R. / Ref. SE/774

### RECURSOS

---

<b>Width cm</b>	300
<b>Thickness</b>	0,33
<b>Weight g/m2</b>	126
<b>Solar_Trasmision</b>	56
<b>Solar_Reflection</b>	36
<b>Solar_Absorption</b>	8
<b>Light_Transmission</b>	54
<b>Light_Absorption</b>	39
<b>GtotInt</b>	0,48
<b>UV_Reduction</b>	65
<b>Sound_Absorption</b>	0,55
<b>Ref.</b>	SE/774
<b>Composition</b>	100% PL Trevira CS
<b>F.R. Classification</b>	Classe 1 (I), B1 (D)
<b>HealthCertification</b>	OEKO-TEX
<b>Transparency</b>	Transparent
<b>Colour_fastness_to_light</b>	4
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	No
<b>Tone</b>	Grey/Black




Rullo

## Silente F.R. / Ref. SE/773

### RECURSOS

---

Width cm	300
Thickness	0,33
Weight g/m2	126
Solar_Trasmision	57
Solar_Reflection	37
Solar_Absorption	6
Light_Transmission	55
Light_Absorption	40
GtotInt	0,5
UV_Reduction	65
Sound_Absorption	0,55
Ref.	SE/773
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Transparent
Colour_fastness_to_light	4
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Beige



Rullo




## Silente F.R. / Ref. SE/771

### RECURSOS

---

Width cm	300
Thickness	0,33
Weight g/m2	126
Solar_Trasmision	59
Solar_Reflection	39
Solar_Absorption	2
Light_Transmission	57
Light_Absorption	42
GtotInt	0,52
UV_Reduction	65
Sound_Absorption	0,55
Ref.	SE/771
Composition	100% PL Trevira CS
F.R. Classification	Classe 1 (I), B1 (D)
HealthCertification	OEKO-TEX
Transparency	Transparent
Colour_fastness_to_light	4
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	No
Tone	Natural



Rullo