


Duette Elan Fulltone / Ref.

TP/3773/02

RECURSOS

Width cm	450
Thickness	0,18
Weight g/m2	210
Solar_Trasmission	7
Solar_Reflection	51
Solar_Absorption	42
Light_Transmission	6
Light_Absorption	52
GtotInt	0,26
UV_Reduction	98
Ref.	TP/3773/02
Composition	100% PL
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural



Plissè




Duette Elan Fulltone / Ref.

TP/3773/06

RECURSOS

Width cm	450
Thickness	0,18
Weight g/m2	210
Solar_Trasmission	6
Solar_Reflection	45
Solar_Absorption	49
Light_Transmission	5
Light_Absorption	47
GtotInt	0,27
UV_Reduction	98
Ref.	TP/3773/06
Composition	100% PL
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè




Duette Elan Fulltone / Ref.

TP/3773/05

RECURSOS

Width cm	450
Thickness	0,18
Weight g/m2	210
Solar_Trasmission	6
Solar_Reflection	47
Solar_Absorption	47
Light_Transmission	5
Light_Absorption	48
GtotInt	0,26
UV_Reduction	98
Ref.	TP/3773/05
Composition	100% PL
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Blue



Plissè




Duette Elan Fulltone / Ref.

TP/3773/04

RECURSOS

Width cm	450
Thickness	0,18
Weight g/m2	210
Solar_Trasmission	6
Solar_Reflection	50
Solar_Absorption	44
Light_Transmission	6
Light_Absorption	51
GtotInt	0,27
UV_Reduction	98
Ref.	TP/3773/04
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Dimout
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè



Duette Elan Fulltone / Ref.

TP/3773/03

RECURSOS

Width cm	450
Thickness	0,18
Weight g/m2	210
Solar_Trasmission	8
Solar_Reflection	52
Solar_Absorption	40
Light_Transmission	6
Light_Absorption	54
GtotInt	0,26
UV_Reduction	98
Ref.	TP/3773/03
Composition	100% PL
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè



Duette Elan Fulltone / Ref.

TP/3773/01

RECURSOS



Width cm	450
Thickness	0,18
Weight g/m2	210
Solar_Trasmission	8
Solar_Reflection	53
Solar_Absorption	39
Light_Transmission	7
Light_Absorption	58
GtotInt	0,26
UV_Reduction	98
Ref.	TP/3773/01
Composition	100% PL
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	White



Plissè