

## **Blackout RB F.R. / Art.**

**RB/648**

### ХАРАКТЕРИСТИКИ

---

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	28
<b>Solar_Absorption</b>	72
<b>Light_Absorption</b>	30
<b>GtotInt</b>	0,45
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/648
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Grey/Black



Rullo




Lucernari

# **Blackout RB F.R. / Art.**

## **RB/647**

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	32
<b>Solar_Absorption</b>	68
<b>Light_Absorption</b>	33
<b>GtotInt</b>	0,44
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/647
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Grey/Black



Rullo




Lucernari

# **Blackout RB F.R. / Art.**

## **RB/646**

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	40
<b>Solar_Absorption</b>	60
<b>Light_Absorption</b>	45
<b>GtotInt</b>	0,42
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/646
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Grey/Black



Rullo




Lucernari

# **Blackout RB F.R. / Art.**

## **RB/645**

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	46
<b>Solar_Absorption</b>	54
<b>Light_Absorption</b>	51
<b>GtotInt</b>	0,4
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/645
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Brown



Rullo



Lucernari

# **Blackout RB F.R. / Art.**

## **RB/644**

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	50
<b>Solar_Absorption</b>	50
<b>Light_Absorption</b>	56
<b>GtotInt</b>	0,38
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/644
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Beige



Rullo




Lucernari

# **Blackout RB F.R. / Art.**

## **RB/643**

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	56
<b>Solar_Absorption</b>	44
<b>Light_Absorption</b>	61
<b>GtotInt</b>	0,36
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/643
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Natural



Rullo



Lucernari


# **Blackout RB F.R. / Art.**

## **RB/642**

### ХАРАКТЕРИСТИКИ

---

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	64
<b>Solar_Absorption</b>	36
<b>Light_Absorption</b>	70
<b>GtotInt</b>	0,32
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/642
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Natural



Rullo



Lucernari

# **Blackout RB F.R. / Art.**

## **RB/641**



### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,52
<b>Weight g/m2</b>	440
<b>Solar_Reflection</b>	77
<b>Solar_Absorption</b>	23
<b>Light_Absorption</b>	87
<b>GtotInt</b>	0,28
<b>UV_Reduction</b>	100
<b>Ref.</b>	RB/641
<b>Composition</b>	42% PL 58% RA
<b>F.R. Classification</b>	Classe 1 (I), BS (GB), NFPA 701(US)
<b>HealthCertification</b>	GREENGUARD, OEKO-TEX
<b>Transparency</b>	Blackout
<b>Colour_fastness_to_light</b>	5
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	White



Rullo



Lucernari