

Infinito / Art. IN/001

ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,43
Weight g/m2	142
Solar_Trasmission	41
Solar_Reflection	55
Solar_Absorption	4
Light_Transmission	41
Light_Absorption	58
GtotInt	0,43
UV_Reduction	81
Ref.	IN/001
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	6/7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural



Rullo




Panels

Infinito / Art. IN/004

ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,43
Weight g/m2	142
Solar_Trasmission	25
Solar_Reflection	31
Solar_Absorption	44
Light_Transmission	7
Light_Absorption	7
GtotInt	0,52
UV_Reduction	92
Ref.	IN/004
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	6/7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo




Panels

Infinito / Art. IN/003

ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,43
Weight g/m2	142
Solar_Trasmision	28
Solar_Reflection	33
Solar_Absorption	39
Light_Transmission	12
Light_Absorption	12
GtotInt	0,52
UV_Reduction	90
Ref.	IN/003
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	6/7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo




Panels



Infinito / Art. IN/002

ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,43
Weight g/m2	142
Solar_Trasmission	38
Solar_Reflection	54
Solar_Absorption	8
Light_Transmission	37
Light_Absorption	56
GtotInt	0,43
UV_Reduction	81
Ref.	IN/002
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	6/7
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Beige



Rullo



Panels