


## Otto / Art. OT/001

### ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,46
Weight g/m2	80
Solar_Trasmission	47
Solar_Reflection	50
Solar_Absorption	3
Light_Transmission	46
Light_Absorption	50
GtotInt	0,46
UV_Reduction	54
Ref.	OT/001
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	3/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	White



Rullo

## Otto / Art. OT/002

### ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,46
Weight g/m2	80
Solar_Trasmision	47
Solar_Reflection	46
Solar_Absorption	7
Light_Transmission	46
Light_Absorption	46
GtotInt	0,47
UV_Reduction	67
Ref.	OT/002
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	3/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural




Rullo

## Otto / Art. OT/003

### ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,46
Weight g/m2	80
Solar_Trasmision	34
Solar_Reflection	32
Solar_Absorption	34
Light_Transmission	19
Light_Absorption	19
GtotInt	0,53
UV_Reduction	82
Ref.	OT/003
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	3/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Brown




Rullo

## Otto / Art. OT/004

### ХАРАКТЕРИСТИКИ

<b>Width cm</b>	260
<b>Thickness</b>	0,46
<b>Weight g/m2</b>	80
<b>Solar_Trasmision</b>	35
<b>Solar_Reflection</b>	27
<b>Solar_Absorption</b>	38
<b>Light_Transmission</b>	15
<b>Light_Absorption</b>	10
<b>GtotInt</b>	0,55
<b>UV_Reduction</b>	80
<b>Ref.</b>	OT/004
<b>Composition</b>	100% PL
<b>HealthCertification</b>	OEKO-TEX
<b>Transparency</b>	Low Transparent / Transparent
<b>Colour_fastness_ to_light</b>	3/6
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Grey/Black



Rullo