


## Otto / Art. OT/001

### ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,46
Weight g/m2	80
Solar_Trasmission	47
Solar_Reflection	50
Solar_Absorption	3
Light_Transmission	46
Light_Absorption	50
GtotInt	0,46
UV_Reduction	54
Ref.	OT/001
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	3/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	White



Rullo

## Otto / Art. OT/002

### ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,46
Weight g/m2	80
Solar_Trasmision	47
Solar_Reflection	46
Solar_Absorption	7
Light_Transmission	46
Light_Absorption	46
GtotInt	0,47
UV_Reduction	67
Ref.	OT/002
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	3/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Natural




Rullo

## Otto / Art. OT/003

### ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,46
Weight g/m2	80
Solar_Trasmision	34
Solar_Reflection	32
Solar_Absorption	34
Light_Transmission	19
Light_Absorption	19
GtotInt	0,53
UV_Reduction	82
Ref.	OT/003
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	3/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Brown




Rullo

## Otto / Art. OT/004

### ХАРАКТЕРИСТИКИ

Width cm	260
Thickness	0,46
Weight g/m2	80
Solar_Trasmision	35
Solar_Reflection	27
Solar_Absorption	38
Light_Transmission	15
Light_Absorption	10
GtotInt	0,55
UV_Reduction	80
Ref.	OT/004
Composition	100% PL
HealthCertification	OEKO-TEX
Transparency	Low Transparent / Transparent
Colour_fastness_ to_light	3/6
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black



Rullo