


# Aeroscreen X5 F.R. / Art. ASX/504

## ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmission	7
Solar_Reflection	10
Solar_Absorption	83
Light_Transmission	7
Light_Absorption	9
GtotInt	0,78
UV_Reduction	94
Ref.	ASX/504
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO- TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_ to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	147
Weft_daN5cm	137



Rullo



Verticali



Panels

# Aeroscreen X5 F.R. / Art.

ASX/506



## ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	6
Solar_Reflection	4
Solar_Absorption	90
Light_Transmission	6
Light_Absorption	4
GtotInt	0,56
UV_Reduction	94
Ref.	ASX/506
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	147
Weft_daN5cm	137



Rullo




Verticali



Panels



# Aeroscreen X5 F.R. / Art. ASX/503



## ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	19
Solar_Reflection	29
Solar_Absorption	52
Light_Transmission	16
Light_Absorption	28
GtotInt	0,48
UV_Reduction	92
Ref.	ASX/503
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	147
Weft_daN5cm	137



Rullo




Verticali



Panels

# Aeroscreen X5 F.R. / Art. ASX/502



## ХАРАКТЕРИСТИКИ

<b>Width cm</b>	300
<b>Thickness</b>	0,44
<b>Weight g/m2</b>	300
<b>Openess_Factor</b>	5
<b>Solar_Trasmision</b>	32
<b>Solar_Reflection</b>	48
<b>Solar_Absorption</b>	20
<b>Light_Transmission</b>	29
<b>Light_Absorption</b>	49
<b>GtotInt</b>	0,42
<b>UV_Reduction</b>	91
<b>Ref.</b>	ASX/502
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	Classe 1(I), M1 (F), NFPA 701 (US)
<b>HealthCertification</b>	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
<b>Transparency</b>	Low Transparent
<b>Colour_fastness_to_light</b>	7
<b>Outdoor</b>	Outdoor
<b>Sealable</b>	With film
<b>adjustable</b>	No
<b>jointed</b>	No
<b>IMO</b>	IMO
<b>Tone</b>	Beige
<b>Warp_daN5cm</b>	147
<b>Weft_daN5cm</b>	137



Rullo



Verticali



Panels



# Aeroscreen X5 F.R. / Art. ASX/505

## ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	7
Solar_Reflection	9
Solar_Absorption	84
Light_Transmission	6
Light_Absorption	5
GtotInt	0,54
UV_Reduction	94
Ref.	ASX/505
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	Brown
Warp_daN5cm	147
Weft_daN5cm	137



Rullo




Verticali



Panels



# Aeroscreen X5 F.R. / Art. ASX/501



## ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,44
Weight g/m2	300
Openess_Factor	5
Solar_Trasmision	36
Solar_Reflection	54
Solar_Absorption	10
Light_Transmission	35
Light_Absorption	59
GtotInt	0,4
UV_Reduction	89
Ref.	ASX/501
Composition	100% PL
F.R. Classification	Classe 1(I), M1 (F), NFPA 701 (US)
HealthCertification	ANTIBACTERIAL, FUNGISTATIC, GREENGUARD GOLD, OEKO- TEX, WATER REPELLENT
Transparency	Low Transparent
Colour_fastness_ to_light	7
Outdoor	Outdoor
Sealable	With film
adjustable	No
jointed	No
IMO	IMO
Tone	White
Warp_daN5cm	147
Weft_daN5cm	137



Rullo



Verticali



Panels