


Alfa F.R. / Art. AL/001

ХАРАКТЕРИСТИКИ

Width cm	270
Thickness	0,8
Weight g/m2	600
Solar_Trasmission	10
Solar_Reflection	79
Solar_Absorption	11
Light_Transmission	7
Light_Absorption	90
GtotInt	0,31
GtotExt	0,08
Sound_Absorption	0,65
Ref.	AL/001
Composition	28%PL 72%PVC
F.R. Classification	Classe 1(I),Euroclass B-s2,d0 (EU), B1(D),IMO
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	White
Warp_daN5cm	250
Weft_daN5cm	220



Rullo



Panels

Alfa F.R. / Art. AL/002

ХАРАКТЕРИСТИКИ

Width cm	270
Thickness	0,8
Weight g/m2	600
Solar_Trasmision	3
Solar_Reflection	45
Solar_Absorption	52
Light_Transmission	2
Light_Absorption	51
GtotInt	0,42
GtotExt	0,07
Sound_Absorption	0,65
Ref.	AL/002
Composition	28%PL 72%PVC
F.R. Classification	Classe 1(I),Euroclass B-s2,d0 (EU), B1(D),IMO
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Beige
Warp_daN5cm	250
Weft_daN5cm	220



Rullo




Panels



Alfa F.R. / Art. AL/003

ХАРАКТЕРИСТИКИ

Width cm	270
Thickness	0,8
Weight g/m2	600
Solar_Trasmission	5
Solar_Reflection	56
Solar_Absorption	39
Light_Transmission	3
Light_Absorption	65
GtotInt	0,39
GtotExt	0,07
Sound_Absorption	0,65
Ref.	AL/003
Composition	28%PL 72%PVC
F.R. Classification	Classe 1(I),Euroclass B-s2,d0 (EU), B1(D),IMO
HealthCertification	GREENGUARD GOLD
Transparency	Low Transparent
Outdoor	No
Sealable	No
adjustable	No
jointed	No
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	250
Weft_daN5cm	220



Rullo



Panels