

Screen P410 F.R. / Art. P/4101-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,54
Weight g/m2	370
Openess_Factor	10
Solar_Trasmission	29
Solar_Reflection	68
Solar_Absorption	8
Light_Transmission	29
Light_Absorption	70
GtotInt	0,37
UV_Reduction	92
Ref.	P/4101-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	White
Warp_daN5cm	130
Weft_daN5cm	120



Rullo




Panels

Screen P410 F.R. / Art.

P/4103-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,54
Weight g/m2	370
Openess_Factor	10
Solar_Trasmision	25
Solar_Reflection	53
Solar_Absorption	22
Light_Transmission	23
Light_Absorption	58
GtotInt	0,4
UV_Reduction	92
Ref.	P/4103-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120



Rullo




Panels

Screen P410 F.R. / Art.

P/4102-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,54
Weight g/m2	370
Openess_Factor	10
Solar_Trasmission	29
Solar_Reflection	58
Solar_Absorption	13
Light_Transmission	26
Light_Absorption	64
GtotInt	0,39
UV_Reduction	92
Ref.	P/4102-300
Composition	30%PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	IMO
Tone	Beige
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Panels