


Duette Fixe BLO F.R. / Art. TP/3770/02

ХАРАКТЕРИСТИКИ

Width cm	225
Thickness	0,15
Weight g/m2	330
Solar_Reflection	72
Solar_Absorption	28
Light_Absorption	77
GtotInt	0,34
UV_Reduction	100
Ref.	TP/3770/02
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Blackout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural




Plissè



Duette Fixe BLO F.R. / Art. TP/3770/05

ХАРАКТЕРИСТИКИ

Width cm	225
Thickness	0,15
Weight g/m2	330
Solar_Reflection	72
Solar_Absorption	28
Light_Absorption	77
GtotInt	0,38
UV_Reduction	100
Ref.	TP/3770/05
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Blackout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè

Duette Fixe BLO F.R. / Art.

TP/3770/04



ХАРАКТЕРИСТИКИ

Width cm	225
Thickness	0,15
Weight g/m2	330
Solar_Reflection	72
Solar_Absorption	28
Light_Absorption	77
GtotInt	0,35
UV_Reduction	100
Ref.	TP/3770/04
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Blackout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown




Plissè



Duette Fixe BLO F.R. / Art. TP/3770/03

ХАРАКТЕРИСТИКИ

Width cm	225
Thickness	0,15
Weight g/m2	330
Solar_Reflection	72
Solar_Absorption	28
Light_Absorption	77
GtotInt	0,33
UV_Reduction	100
Ref.	TP/3770/03
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	OEKO-TEX
Transparency	Blackout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè