


## **Silver F.R. Plisse / Art.**

**TP/3765/04**

### ХАРАКТЕРИСТИКИ

---

<b>Width cm</b>	240
<b>Thickness</b>	0,14
<b>Weight g/m2</b>	100
<b>Solar_Trasmission</b>	9
<b>Solar_Reflection</b>	60
<b>Solar_Absorption</b>	31
<b>Light_Transmission</b>	5
<b>Light_Absorption</b>	63
<b>GtotInt</b>	0,37
<b>UV_Reduction</b>	99
<b>Ref.</b>	TP/3765/04
<b>Composition</b>	100% PL
<b>F.R. Classification</b>	B1 (D)
<b>HealthCertification</b>	No
<b>Transparency</b>	Dimout
<b>Colour_fastness_to_light</b>	6/7
<b>Outdoor</b>	No
<b>Sealable</b>	No
<b>adjustable</b>	Yes
<b>jointed</b>	Si
<b>IMO</b>	No
<b>Tone</b>	Beige



Plissè



## Silver F.R. Plisse / Art.

TP/3765/07

### ХАРАКТЕРИСТИКИ

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmision	3
Solar_Reflection	60
Solar_Absorption	37
Light_Transmission	2
Light_Absorption	63
GtotInt	0,37
UV_Reduction	99
Ref.	TP/3765/07
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissè



## Silver F.R. Plisse / Art.

TP/3765/06

### ХАРАКТЕРИСТИКИ

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmision	4
Solar_Reflection	59
Solar_Absorption	37
Light_Transmission	3
Light_Absorption	62
Gtotlnt	0,38
UV_Reduction	99
Ref.	TP/3765/06
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissé




## Silver F.R. Plisse / Art.

TP/3765/05

### ХАРАКТЕРИСТИКИ

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmision	9
Solar_Reflection	61
Solar_Absorption	30
Light_Transmission	8
Light_Absorption	64
GtotInt	0,37
UV_Reduction	99
Ref.	TP/3765/05
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black



Plissé


## **Silver F.R. Plisse / Art.**

**TP/3765/03**

### ХАРАКТЕРИСТИКИ

---

Width cm	240
Thickness	0,14
Weight g/m2	100
Solar_Trasmission	10
Solar_Reflection	61
Solar_Absorption	29
Light_Transmission	8
Light_Absorption	64
GtotInt	0,37
UV_Reduction	99
Ref.	TP/3765/03
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige



Plissè



## Silver F.R. Plisse / Art.

TP/3765/02

### ХАРАКТЕРИСТИКИ

---

Width cm	230
Thickness	0,13
Weight g/m2	90
Solar_Trasmission	30
Solar_Reflection	50
Solar_Absorption	20
Light_Transmission	24
Light_Absorption	50
GtotInt	0,46
UV_Reduction	96
Ref.	TP/3765/02
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	No
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	Natural



Plissè




## Silver F.R. Plisse / Art.

TP/3765/01

### ХАРАКТЕРИСТИКИ

---

Width cm	230
Thickness	0,13
Weight g/m2	90
Solar_Trasmision	46
Solar_Reflection	53
Solar_Absorption	1
Light_Transmission	46
Light_Absorption	54
GtotInt	0,41
UV_Reduction	88
Ref.	TP/3765/01
Composition	100% PL
F.R. Classification	B1 (D)
HealthCertification	OEKO-TEX
Transparency	Dimout
Colour_fastness_to_light	6/7
Outdoor	No
Sealable	No
adjustable	Yes
jointed	Si
IMO	No
Tone	White



Plissè