


Screen P45 F.R. / Art. P/452-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	23
Solar_Reflection	54
Solar_Absorption	23
Light_Transmission	20
Light_Absorption	25
GtotInt	0,37
UV_Reduction	93
Ref.	P/452-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Beige
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali



Panels




Lucernari



Garden



Screen P45 F.R. / Art. P/457-300



ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	3
Solar_Absorption	93
Light_Transmission	6
Light_Absorption	6
GtotInt	0,61
UV_Reduction	93
Ref.	P/457-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali




Panels



Lucernari



Garden



Screen P45 F.R. / Art. P/456-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	5
Solar_Absorption	91
Light_Transmission	6
Light_Absorption	6
GtotInt	0,6
UV_Reduction	93
Ref.	P/456-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	130

Weft_daN5cm

120



Rullo



Verticali



Panels



Lucernari



Garden



Screen P45 F.R. / Art. P/455-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	4
Solar_Reflection	4
Solar_Absorption	92
Light_Transmission	5
Light_Absorption	6
GtotInt	0,6
UV_Reduction	93
Ref.	P/455-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown

Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali




Panels



Lucernari



Garden



Screen P45 F.R. / Art. P/454-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmision	16
Solar_Reflection	40
Solar_Absorption	44
Light_Transmission	14
Light_Absorption	18
GtotInt	0,48
UV_Reduction	93
Ref.	P/454-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No

Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali




Panels



Lucernari



Garden



Screen P45 F.R. / Art. P/453-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	16
Solar_Reflection	43
Solar_Absorption	41
Light_Transmission	15
Light_Absorption	18
GtotInt	0,42
UV_Reduction	93
Ref.	P/453-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si

IMO	No
Tone	Grey/Black
Warp_daN5cm	130
Weft_daN5cm	120




Rullo



Verticali




Panels



Lucernari



Garden



Screen P45 F.R. / Art. P/451-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	22
Solar_Reflection	67
Solar_Absorption	11
Light_Transmission	19
Light_Absorption	24
GtotInt	0,3
UV_Reduction	93
Ref.	P/451-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes

jointed	Si
IMO	No
Tone	White
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali



Panels



Lucernari




Garden



Screen P45 F.R. / Art. P/450-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,55
Weight g/m2	400
Openess_Factor	5
Solar_Trasmission	22
Solar_Reflection	67
Solar_Absorption	11
Light_Transmission	19
Light_Absorption	24
GtotInt	0,3
UV_Reduction	93
Ref.	P/450-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	7/8



Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	White
Warp_daN5cm	130
Weft_daN5cm	120



Rullo



Verticali



Panels



Lucernari



Garden