


Screen P6 F.R. / Art. P/607-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,43
Weight g/m2	325
Openess_Factor	2
Solar_Trasmission	15
Solar_Reflection	53
Solar_Absorption	32
Light_Transmission	14
Light_Absorption	55
GtotInt	0,7
UV_Reduction	94
Ref.	P/607-300
Composition	25% PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black
Warp_daN5cm	135
Weft_daN5cm	110



Rullo




Panels



Screen P6 F.R. / Art. P/600-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,43
Weight g/m2	325
Openess_Factor	2
Solar_Trasmision	15
Solar_Reflection	52
Solar_Absorption	33
Light_Transmission	14
Light_Absorption	54
GtotInt	0,42
UV_Reduction	96
Ref.	P/600-300
Composition	25% PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	No
jointed	No
IMO	No
Tone	White
Warp_daN5cm	135
Weft_daN5cm	110



Rullo




Panels

Screen P6 F.R. / Art. P/602-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,43
Weight g/m2	325
Openess_Factor	2
Solar_Trasmision	14
Solar_Reflection	49
Solar_Absorption	37
Light_Transmission	13
Light_Absorption	51
GtotInt	0,48
UV_Reduction	95
Ref.	P/602-300
Composition	25% PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	No
jointed	No
IMO	No
Tone	Beige
Warp_daN5cm	135
Weft_daN5cm	110



Rullo




Panels

Screen P6 F.R. / Art. P/601-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,43
Weight g/m2	325
Openess_Factor	2
Solar_Trasmision	15
Solar_Reflection	52
Solar_Absorption	33
Light_Transmission	14
Light_Absorption	54
GtotInt	0,42
UV_Reduction	96
Ref.	P/601-300
Composition	25% PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	No
jointed	No
IMO	No
Tone	White
Warp_daN5cm	135
Weft_daN5cm	110



Rullo




Panels

Screen P6 F.R. / Art. P/608-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,43
Weight g/m2	325
Openess_Factor	2
Solar_Trasmission	11
Solar_Reflection	42
Solar_Absorption	47
Light_Transmission	10
Light_Absorption	44
GtotInt	0,52
UV_Reduction	95
Ref.	P/608-300
Composition	25% PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black
Warp_daN5cm	135
Weft_daN5cm	110



Rullo




Panels



Screen P6 F.R. / Art. P/606-300

ХАРАКТЕРИСТИКИ

Width cm	300
Thickness	0,43
Weight g/m2	325
Openess_Factor	2
Solar_Trasmision	14
Solar_Reflection	50
Solar_Absorption	36
Light_Transmission	13
Light_Absorption	52
GtotInt	0,6
UV_Reduction	95
Ref.	P/606-300
Composition	25% PL 75% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701(US), BS (GB)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	No
Sealable	Heat
adjustable	No
jointed	No
IMO	No
Tone	Grey/Black
Warp_daN5cm	135
Weft_daN5cm	110



Rullo



Panels