


Screen P43 F.R. / Ref. P/431-300



CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	17
Solar_Reflection	71
Solar_Absorption	12
Light_Transmission	14
Light_Absorption	58
GtotInt	0,28
UV_Reduction	96
Ref.	P/431-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	White
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali



Panels




Lucernari



Garden



Screen P43 F.R. / Ref. P/437-300



CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	4
Solar_Reflection	4
Solar_Absorption	92
Light_Transmission	6
Light_Absorption	3
GtotInt	0,59
UV_Reduction	96
Ref.	P/437-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali




Panels



Lucernari



Garden



Screen P43 F.R. / Ref. P/436-300

CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	3
Solar_Reflection	10
Solar_Absorption	87
Light_Transmission	4
Light_Absorption	9
GtotInt	0,57
UV_Reduction	97
Ref.	P/436-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Grey/Black
Warp_daN5cm	140



Rullo



Verticali



Panneli



Lucernari



Garden



Screen P43 F.R. / Ref. P/435-300

CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	4
Solar_Reflection	8
Solar_Absorption	88
Light_Transmission	6
Light_Absorption	6
GtotInt	0,58
UV_Reduction	96
Ref.	P/435-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	Brown

Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali




Panneli



Lucernari



Giardino



Screen P43 F.R. / Ref. P/434-300

CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openness_Factor	3
Solar_Trasmission	7
Solar_Reflection	38
Solar_Absorption	55
Light_Transmission	7
Light_Absorption	32
GtotInt	0,46
UV_Reduction	96
Ref.	P/434-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No

Tone	Grey/Black
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali




Panneli



Lucernari



Garden



Screen P43 F.R. / Ref. P/433-300

CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	11
Solar_Reflection	44
Solar_Absorption	45
Light_Transmission	10
Light_Absorption	38
GtotInt	0,4
UV_Reduction	95
Ref.	P/433-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si

IMO	No
Tone	Grey/Black
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali




Panels



Lucernari



Garden



Screen P43 F.R. / Ref. P/432-300

CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	17
Solar_Reflection	58
Solar_Absorption	25
Light_Transmission	14
Light_Absorption	47
GtotInt	0,35
UV_Reduction	96
Ref.	P/432-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8
Outdoor	Outdoor
Sealable	Heat
adjustable	Yes

jointed	Si
IMO	No
Tone	Beige
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali



Panels



Lucernari




Garden



Screen P43 F.R. / Ref. P/430-300

CHARACTERISTICS

Width cm	300
Thickness	0,56
Weight g/m2	440
Openess_Factor	3
Solar_Trasmission	17
Solar_Reflection	71
Solar_Absorption	12
Light_Transmission	14
Light_Absorption	58
GtotInt	0,28
UV_Reduction	96
Ref.	P/430-300
Composition	30% PL 70% PVC
F.R. Classification	Classe 1 (I), B1 (D), NFPA 701 (US), BS (GB) M2 (FR)
HealthCertification	FUNGISTATIC, GREENGUARD GOLD, OEKO-TEX, REACH
Transparency	Low Transparent
Colour_fastness_to_light	8



Outdoor	Outdoor
Sealable	Heat
adjustable	Yes
jointed	Si
IMO	No
Tone	White
Warp_daN5cm	140
Weft_daN5cm	140



Rullo



Verticali



Panels



Lucernari



Garden